

**Table 4B**  
**2006 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**North Carolina**  
**Comparison of Racial and Ethnic Distribution by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Racial and Ethnic Distribution by County</b>								
<b>County</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaskan Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
Alamance	3,138	38.5	25.5	35.4	0.1	0.5	0.0	0.0
Alexander	992	69.7	8.3	18.2	0.0	3.7	0.0	0.1
Alleghany	328	76.2	0.9	22.9	0.0	0.0	0.0	0.0
Anson	870	28.2	65.6	4.3	1.4	0.6	0.0	0.0
Ashe	716	79.6	2.4	17.9	0.1	0.0	0.0	0.0
Avery	181	81.8	0.0	17.1	0.0	0.0	0.0	1.1
Beaufort	1,568	30.6	41.8	27.3	0.0	0.1	0.0	0.1
Bertie	751	15.3	82.8	1.9	0.0	0.0	0.0	0.0
Bladen	1,150	32.2	40.4	27.0	0.3	0.0	0.0	0.0
Brunswick	2,113	60.8	18.0	20.0	0.1	1.0	0.0	0.1
Buncombe	4,707	67.3	11.8	19.8	0.2	0.7	0.0	0.1
Burke	2,099	60.0	7.9	22.9	0.0	9.1	0.0	0.0
Cabarrus	4,446	36.8	19.2	42.9	0.2	0.8	0.0	0.0
Caldwell	2,123	73.0	8.9	17.7	0.1	0.3	0.0	0.0
Camden	217	76.5	20.3	1.4	0.0	1.4	0.0	0.5
Carteret	1,234	62.2	18.8	17.0	0.9	0.8	0.0	0.2
Caswell	571	49.0	45.9	4.9	0.0	0.2	0.0	0.0
Catawba	3,239	47.5	14.2	29.4	0.1	8.8	0.0	0.0
Chatham	1,888	18.6	10.9	70.5	0.0	0.0	0.0	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 4B**  
**2006 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**North Carolina**  
**Comparison of Racial and Ethnic Distribution by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Racial and Ethnic Distribution by County</b>								
<b>County</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaskan Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
Cherokee	749	89.7	2.8	5.6	0.9	0.9	0.0	0.0
Chowan	480	33.1	60.0	6.9	0.0	0.0	0.0	0.0
Clay	283	91.9	1.1	6.7	0.4	0.0	0.0	0.0
Cleveland	820	57.1	34.0	7.4	0.0	0.4	0.0	1.1
Columbus	1,880	39.6	44.4	13.9	2.1	0.1	0.0	0.1
Craven	3,186	44.8	35.2	16.8	0.3	2.8	0.0	0.1
Cumberland	12,480	40.1	45.1	10.7	1.7	2.1	0.0	0.4
Currituck	396	81.8	12.9	5.3	0.0	0.0	0.0	0.0
Dare	673	59.0	5.8	34.8	0.0	0.4	0.0	0.0
Davidson	3,418	59.8	13.3	25.8	0.1	1.0	0.0	0.0
Davie	792	59.0	8.5	32.2	0.1	0.0	0.0	0.3
Duplin	1,470	26.7	22.0	51.1	0.0	0.1	0.0	0.1
Durham	6,066	9.8	49.1	37.2	1.6	1.2	0.0	1.1
Edgecombe	593	22.1	69.8	7.6	0.2	0.0	0.0	0.3
Forsyth	8,674	23.4	29.3	46.1	0.2	0.4	0.0	0.6
Franklin	1,377	30.9	38.6	29.3	0.1	0.1	0.0	1.1
Gaston	4,427	50.4	25.5	22.2	0.3	1.0	0.0	0.6
Gates	335	49.3	49.0	1.5	0.3	0.0	0.0	0.0
Graham	342	86.5	2.0	6.1	5.0	0.3	0.0	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 4B**  
**2006 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**North Carolina**  
**Comparison of Racial and Ethnic Distribution by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Racial and Ethnic Distribution by County</b>								
<b>County</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaskan Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
Granville	1,253	34.4	41.3	24.0	0.0	0.2	0.0	0.0
Greene	965	16.9	41.7	41.3	0.1	0.0	0.0	0.0
Guilford	6,305	21.5	52.5	22.6	0.2	2.6	0.0	0.7
Halifax	2,067	18.7	69.5	4.0	7.2	0.5	0.0	0.1
Harnett	2,909	42.7	31.3	25.4	0.4	0.2	0.0	0.0
Haywood	1,031	83.2	2.9	12.1	0.4	0.3	0.0	1.1
Henderson	1,620	50.1	3.1	45.5	0.2	0.6	0.0	0.6
Hertford	835	16.0	81.2	1.9	0.4	0.5	0.0	0.0
Hoke	1,818	22.4	31.4	34.4	11.7	0.1	0.0	0.1
Hyde	174	45.4	32.2	22.4	0.0	0.0	0.0	0.0
Iredell	3,537	48.3	24.6	25.1	0.0	2.0	0.0	0.0
Jackson	751	79.8	2.0	14.5	2.4	1.3	0.0	0.0
Johnston	2,709	41.6	20.2	37.6	0.0	0.1	0.0	0.5
Jones	140	47.9	32.9	19.3	0.0	0.0	0.0	0.0
Lee	1,880	25.8	26.0	48.1	0.1	0.1	0.0	0.0
Lenoir	1,803	27.4	53.9	18.3	0.1	0.3	0.0	0.1
Lincoln	1,705	74.8	5.5	19.5	0.0	0.2	0.0	0.0
Macon	804	74.3	1.9	23.1	0.1	0.6	0.0	0.0
Madison	425	91.3	0.7	8.0	0.0	0.0	0.0	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 4B**  
**2006 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**North Carolina**  
**Comparison of Racial and Ethnic Distribution by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Racial and Ethnic Distribution by County</b>								
<b>County</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaskan Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
Martin	804	29.2	60.8	9.8	0.0	0.1	0.0	0.0
Mcdowell	1,383	77.3	2.9	19.5	0.1	0.3	0.0	0.0
Mecklenbur	15,271	10.5	45.4	40.2	0.5	2.5	0.0	0.9
Mitchell	444	89.0	0.0	11.0	0.0	0.0	0.0	0.0
Montgomery	760	29.3	19.7	48.8	0.0	1.8	0.0	0.3
Moore	1,697	45.8	28.1	25.8	0.1	0.2	0.0	0.1
Nash	2,353	23.8	52.5	22.6	0.5	0.3	0.0	0.2
New Hanove	3,095	38.6	36.7	23.7	0.0	0.9	0.0	0.2
Northhampt	813	17.5	76.6	5.9	0.0	0.0	0.0	0.0
Onslow	7,189	63.5	19.6	14.4	0.3	2.1	0.0	0.1
Orange	2,359	20.8	21.7	56.1	0.2	1.1	0.0	0.0
Pamlico	276	58.0	27.2	13.8	0.0	1.1	0.0	0.0
Pasquotank	964	35.3	54.0	9.9	0.0	0.3	0.0	0.5
Pender	1,471	40.7	27.6	27.9	0.9	2.9	0.0	0.0
Perquimans	355	48.2	45.4	5.9	0.6	0.0	0.0	0.0
Person	964	45.1	41.4	13.2	0.1	0.2	0.0	0.0
Pitt	4,166	21.8	59.9	17.7	0.1	0.5	0.0	0.0
Polk	276	50.0	11.6	36.2	1.1	0.7	0.0	0.4
Randolph	3,552	54.2	8.0	37.4	0.0	0.3	0.0	0.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 4B**  
**2006 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**North Carolina**  
**Comparison of Racial and Ethnic Distribution by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Racial and Ethnic Distribution by County</b>								
<b>County</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaskan Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
Richmond	1,938	41.6	39.9	17.1	0.8	0.4	0.0	0.1
Robeson	3,227	13.4	27.3	24.7	32.7	0.8	0.0	1.1
Rockingham	2,145	55.7	23.4	20.2	0.2	0.1	0.0	0.3
Rowan	3,233	47.2	25.5	26.0	0.1	1.1	0.0	0.0
Rutherford	838	61.7	23.0	14.7	0.1	0.5	0.0	0.0
Sampson	2,713	16.9	21.2	61.0	0.8	0.1	0.0	0.0
Scotland	1,508	25.1	58.8	2.8	12.9	0.5	0.0	0.0
Stanly	1,284	56.2	22.1	17.0	0.2	4.5	0.0	0.1
Stokes	975	86.4	6.2	7.4	0.1	0.0	0.0	0.0
Surry	1,779	56.6	5.3	37.8	0.1	0.2	0.0	0.1
Swain	318	84.9	3.8	3.1	7.5	0.0	0.0	0.6
Transylvan	493	73.2	11.4	14.4	0.4	0.6	0.0	0.0
Tyrrell	232	31.9	38.4	29.7	0.0	0.0	0.0	0.0
Union	2,283	36.0	21.1	42.6	0.0	0.2	0.0	0.0
Vance	1,595	19.1	60.3	20.4	0.1	0.1	0.0	0.0
Wake	14,417	13.5	36.4	44.7	0.0	1.3	0.0	4.1
Warren	770	18.8	70.5	8.8	1.6	0.3	0.0	0.0
Washington	586	19.1	73.4	7.5	0.0	0.0	0.0	0.0
Watauga	501	82.8	2.6	14.2	0.0	0.2	0.0	0.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 4B**  
**2006 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**North Carolina**  
**Comparison of Racial and Ethnic Distribution by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Racial and Ethnic Distribution by County</b>								
<b>County</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaskan Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
Wayne Coun	3,547	29.5	40.0	29.7	0.3	0.4	0.0	0.1
Wilkes	1,705	74.0	5.3	20.3	0.0	0.4	0.0	0.0
Wilson Cou	2,792	17.5	49.5	32.3	0.0	0.5	0.0	0.1
Yadkin	966	47.9	3.7	48.1	0.0	0.2	0.0	0.0
Yancey	420	74.5	0.5	24.8	0.0	0.2	0.0	0.0
Unknown Counties	1	*	*	*	*	*	*	*
<b>North Carolina</b>	<b>211,961</b>	<b>37.2</b>	<b>31.9</b>	<b>28.0</b>	<b>1.1</b>	<b>1.2</b>	<b>0.0</b>	<b>0.5</b>
<b>Nation (Prior Year)</b>	<b>7,117,562</b>	<b>32.3</b>	<b>18.5</b>	<b>37.7</b>	<b>1.0</b>	<b>2.5</b>	<b>1.0</b>	<b>7.0</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 5B**  
**2006 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**North Carolina**  
**Comparison of Age Distribution by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Age Distribution by County</b>				
<b>County</b>	Number Included in Analysis (3,4)	0 - 11 Months  %	12 - 23 Months  %	24 - 59 Months  %
Alamance	3,138	37.7	23.3	39.1
Alexander	992	32.1	21.3	46.7
Alleghany	328	34.5	19.8	45.7
Anson	870	32.1	21.6	46.3
Ashe	716	32.8	18.9	48.3
Avery	181	55.2	10.5	34.3
Beaufort	1,568	32.5	23.2	44.4
Bertie	751	31.6	17.8	50.6
Bladen	1,150	34.8	21.6	43.7
Brunswick	2,113	35.3	23.4	41.3
Buncombe	4,707	35.8	23.5	40.7
Burke	2,099	38.1	21.4	40.4
Cabarrus	4,446	31.0	25.2	43.8
Caldwell	2,123	37.4	21.5	41.1
Camden	217	30.9	23.5	45.6
Carteret	1,234	45.2	19.9	34.8
Caswell	571	26.1	24.2	49.7
Catawba	3,239	45.9	20.2	33.9

(1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Records rejected if date of birth and date of visit unknown.  
\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 5B**  
**2006 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**North Carolina**  
**Comparison of Age Distribution by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Age Distribution by County</b>				
<b>County</b>	Number Included in Analysis (3,4)	0 - 11 Months  %	12 - 23 Months  %	24 - 59 Months  %
Chatham	1,888	35.8	22.7	41.5
Cherokee	749	40.5	19.6	39.9
Chowan	480	34.4	24.4	41.3
Clay	283	29.0	19.4	51.6
Cleveland	820	84.9	8.0	7.1
Columbus	1,880	37.6	19.6	42.8
Craven	3,186	37.4	23.5	39.1
Cumberland	12,480	37.1	22.3	40.6
Currituck	396	25.8	26.5	47.7
Dare	673	37.0	23.3	39.7
Davidson	3,418	37.6	21.4	41.0
Davie	792	31.9	22.7	45.3
Duplin	1,470	51.8	14.6	33.6
Durham	6,066	37.6	20.8	41.5
Edgecombe	593	76.4	7.9	15.7
Forsyth	8,674	36.8	21.5	41.7
Franklin	1,377	33.3	13.0	53.7
Gaston	4,427	41.0	23.5	35.5

(1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Records rejected if date of birth and date of visit unknown.  
\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 5B**  
**2006 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**North Carolina**  
**Comparison of Age Distribution by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Age Distribution by County</b>				
<b>County</b>	Number Included in Analysis (3,4)	0 - 11 Months  %	12 - 23 Months  %	24 - 59 Months  %
Gates	335	26.9	26.6	46.6
Graham	342	24.0	21.1	55.0
Granville	1,253	27.9	26.2	45.9
Greene	965	30.8	19.1	50.2
Guilford	6,305	33.7	6.8	59.5
Halifax	2,067	26.4	27.7	45.9
Harnett	2,909	31.3	21.0	47.7
Haywood	1,031	37.8	22.3	39.9
Henderson	1,620	34.9	22.4	42.7
Hertford	835	29.1	27.9	43.0
Hoke	1,818	34.4	22.4	43.2
Hyde	174	26.4	24.1	49.4
Iredell	3,537	32.6	23.6	43.9
Jackson	751	36.1	17.6	46.3
Johnston	2,709	38.1	24.3	37.6
Jones	140	50.0	19.3	30.7
Lee	1,880	34.8	22.0	43.2
Lenoir	1,803	42.2	21.3	36.5

(1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Records rejected if date of birth and date of visit unknown.  
\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 5B**  
**2006 Pediatric Nutrition Surveillance (1)**  
**North Carolina**  
**Comparison of Age Distribution by County**  
**Children Aged < 5 Years (2)**

<b>Comparison of Age Distribution by County</b>				
<b>County</b>	Number Included in Analysis (3,4)	0 - 11 Months  %	12 - 23 Months  %	24 - 59 Months  %
Lincoln	1,705	42.8	19.7	37.5
Macon	804	29.0	25.5	45.5
Madison	425	31.1	15.3	53.6
Martin	804	33.0	22.3	44.8
Mcdowell	1,383	33.9	21.8	44.3
Mecklenbur	15,271	37.4	24.7	37.8
Mitchell	444	29.3	24.1	46.6
Montgomery	760	38.3	16.6	45.1
Moore	1,697	30.1	23.5	46.4
Nash	2,353	36.9	25.8	37.2
New Hanove	3,095	38.9	24.9	36.2
Northhampt	813	30.0	23.7	46.2
Onslow	7,189	38.9	21.8	39.3
Orange	2,359	29.9	24.6	45.5
Pamlico	276	38.0	17.4	44.6
Pasquotank	964	26.8	27.0	46.3
Pender	1,471	34.7	20.7	44.6
Perquimans	355	35.5	23.1	41.4

(1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Records rejected if date of birth and date of visit unknown.  
\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 5B**  
**2006 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**North Carolina**  
**Comparison of Age Distribution by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Age Distribution by County</b>				
<b>County</b>	Number Included in Analysis (3,4)	0 - 11 Months  %	12 - 23 Months  %	24 - 59 Months  %
Person	964	32.3	19.9	47.8
Pitt	4,166	36.0	21.3	42.7
Polk	276	26.4	23.2	50.4
Randolph	3,552	35.8	20.8	43.3
Richmond	1,938	34.4	20.0	45.6
Robeson	3,227	36.0	9.7	54.3
Rockingham	2,145	35.3	23.3	41.4
Rowan	3,233	34.0	23.9	42.1
Rutherford	838	37.2	18.1	44.6
Sampson	2,713	32.3	23.0	44.7
Scotland	1,508	29.1	23.3	47.5
Stanly	1,284	37.0	18.4	44.6
Stokes	975	29.0	24.4	46.6
Surry	1,779	37.1	23.7	39.2
Swain	318	34.6	17.9	47.5
Transylvan	493	40.0	16.6	43.4
Tyrrell	232	25.9	17.7	56.5
Union	2,283	41.7	17.0	41.3

(1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Records rejected if date of birth and date of visit unknown.  
\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 5B**  
**2006 Pediatric Nutrition Surveillance (1)**  
**North Carolina**  
**Comparison of Age Distribution by County**  
**Children Aged < 5 Years (2)**

<b>Comparison of Age Distribution by County</b>				
<b>County</b>	Number Included in Analysis (3,4)	0 - 11 Months  %	12 - 23 Months  %	24 - 59 Months  %
Vance	1,595	31.1	24.2	44.7
Wake	14,417	37.2	22.8	40.0
Warren	770	28.1	22.7	49.2
Washington	586	26.6	21.8	51.5
Watauga	501	32.3	22.0	45.7
Wayne Coun	3,547	33.8	25.0	41.2
Wilkes	1,705	34.8	20.6	44.6
Wilson Cou	2,792	34.2	21.1	44.7
Yadkin	966	30.2	23.7	46.1
Yancey	420	31.0	17.1	51.9
Unknown Counties	1	*	*	*
<b>North Carolina</b>	<b>211,961</b>	<b>36.1</b>	<b>21.7</b>	<b>42.2</b>
<b>Nation (Prior Year)</b>	<b>7,117,562</b>	<b>35.3</b>	<b>22.0</b>	<b>42.6</b>

(1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Records rejected if date of birth and date of visit unknown.  
\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2006 Pediatric Nutrition Surveillance** (1)  
**North Carolina**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Alamance	849	7.4 (9)	8.6 (76)	2,818	6.2 (60)	6.7 (34)	18.2 (82)	1,218	20.2 (90)	15.8 (49)	2,261	29.6 (96)
Alexander	269	10.0 (48)	8.6 (76)	820	22.7 (99)	11.3 (84)	19.4 (89)	422	13.7 (21)	23.5 (94)	646	19.5 (83)
Alleghany	73	* *	* *	283	6.4 (65)	5.7 (18)	17.7 (77)	142	23.9 (94)	21.8 (87)	223	22.0 (89)
Anson	231	13.4 (76)	5.2 (24)	637	9.1 (89)	7.2 (41)	18.2 (82)	381	12.3 (11)	14.4 (34)	551	17.2 (74)
Ashe	154	11.7 (68)	1.9 (2)	550	4.5 (23)	5.8 (19)	15.5 (56)	310	12.6 (12)	13.5 (23)	492	17.9 (76)
Avery	89	* *	* *	107	14.0 (98)	3.7 (2)	18.7 (86)	49	* *	* *	65	* *
Beaufort	379	9.0 (25)	6.6 (47)	1,287	4.4 (22)	6.7 (34)	18.1 (80)	672	14.9 (33)	19.6 (78)	1,177	9.9 (44)
Bertie	186	15.6 (82)	3.2 (5)	623	12.0 (97)	9.5 (72)	17.3 (74)	354	11.9 (8)	16.4 (54)	553	26.9 (95)
Bladen	315	10.5 (55)	5.1 (21)	1,092	5.0 (30)	11.1 (83)	16.3 (66)	486	13.0 (16)	16.9 (61)	681	3.8 (7)
Brunswick	603	9.8 (44)	8.0 (69)	1,851	5.5 (45)	7.3 (44)	15.0 (47)	834	18.2 (77)	16.5 (55)	1,388	2.7 (2)
Buncombe	1,358	11.0 (64)	7.2 (56)	3,623	5.4 (43)	5.4 (16)	14.8 (45)	1,837	15.7 (41)	14.8 (38)	3,123	12.4 (57)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2006 Pediatric Nutrition Surveillance** (1)  
**North Carolina**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Burke	660	9.7 (41)	6.1 (38)	1,813	5.3 (40)	8.7 (60)	14.1 (39)	826	16.9 (63)	15.3 (44)	1,436	5.6 (15)
Cabarrus	1,244	9.1 (26)	5.9 (34)	4,297	4.2 (20)	11.8 (86)	12.6 (20)	1,920	15.9 (47)	16.7 (59)	2,379	7.1 (26)
Caldwell	629	10.3 (52)	6.7 (51)	1,814	6.8 (73)	9.3 (67)	18.7 (86)	833	16.8 (59)	20.2 (83)	1,483	6.5 (21)
Camden	52	* *	* *	205	5.9 (51)	8.8 (61)	15.1 (50)	90	* *	* *	123	5.7 (16)
Carteret	408	8.1 (14)	9.6 (82)	1,000	3.8 (13)	12.0 (87)	12.7 (21)	364	17.0 (65)	13.5 (23)	814	7.1 (26)
Caswell	102	19.6 (85)	3.9 (9)	504	5.0 (30)	4.8 (9)	13.7 (31)	281	21.4 (93)	15.3 (44)	424	8.0 (35)
Catawba	1,058	9.2 (27)	7.7 (64)	1,388	5.1 (34)	20.7 (99)	8.4 (1)	481	16.8 (59)	15.2 (41)	2,026	5.4 (13)
Chatham	504	5.6 (2)	8.3 (73)	1,632	5.7 (48)	5.9 (22)	20.1 (92)	746	16.5 (57)	20.6 (85)	1,267	17.1 (72)
Cherokee	224	9.4 (31)	4.9 (18)	436	5.3 (40)	9.4 (69)	12.4 (15)	148	12.8 (15)	9.5 (5)	489	10.2 (46)
Chowan	126	13.5 (78)	2.4 (3)	467	5.1 (34)	12.6 (90)	13.7 (31)	201	15.9 (47)	17.9 (70)	341	15.8 (67)
Clay	52	* *	* *	226	7.5 (82)	4.4 (7)	13.7 (31)	133	13.5 (18)	13.5 (23)	203	7.9 (33)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2006 Pediatric Nutrition Surveillance** (1)  
**North Carolina**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Cleveland	679	10.3 (52)	6.2 (41)	759	2.8 (1)	13.7 (94)	15.9 (60)	57	* *	* *	121	7.4 (30)
Columbus	449	13.6 (79)	6.9 (52)	1,712	9.3 (90)	4.6 (8)	21.6 (97)	761	17.0 (65)	15.8 (49)	1,085	14.7 (62)
Craven	839	8.5 (18)	8.5 (75)	2,330	3.9 (16)	7.1 (39)	14.3 (42)	1,128	17.1 (67)	14.9 (39)	2,056	9.8 (43)
Cumberland	3,471	9.6 (38)	8.0 (69)	11,389	3.7 (11)	13.0 (92)	9.7 (3)	4,810	11.1 (6)	8.0 (3)	8,784	18.5 (79)
Currituck	73	* *	* *	373	7.8 (84)	7.2 (41)	13.9 (35)	175	20.6 (92)	13.7 (27)	285	14.7 (62)
Dare	169	7.7 (11)	7.7 (64)	516	4.5 (23)	5.2 (13)	20.0 (91)	247	17.8 (76)	21.9 (88)	442	12.9 (58)
Davidson	919	11.4 (66)	6.1 (38)	2,743	4.7 (27)	9.1 (64)	12.4 (15)	1,196	14.5 (29)	12.0 (14)	2,447	9.0 (39)
Davie	185	9.7 (41)	7.0 (54)	613	5.2 (39)	5.9 (22)	13.9 (35)	334	13.5 (18)	15.0 (40)	584	7.4 (30)
Duplin	640	8.9 (23)	6.3 (43)	1,062	7.4 (81)	14.1 (95)	15.9 (60)	300	19.3 (85)	23.0 (91)	225	24.9 (93)
Durham	1,520	9.8 (44)	6.6 (47)	4,450	6.3 (62)	5.3 (15)	18.7 (86)	2,169	16.8 (59)	18.0 (71)	326	12.0 (55)
Edgecombe	438	13.2 (74)	4.8 (17)	273	5.1 (34)	19.8 (98)	9.5 (2)	42	* *	* *	130	19.2 (80)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2006 Pediatric Nutrition Surveillance** (1)  
**North Carolina**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Forsyth	2,389	11.7 (68)	6.2 (41)	7,247	6.1 (56)	9.0 (63)	15.4 (53)	3,518	15.9 (47)	17.0 (63)	5,786	14.0 (60)
Franklin	329	10.9 (61)	7.3 (58)	1,248	3.8 (13)	6.9 (38)	16.9 (71)	686	18.4 (80)	16.5 (55)	724	4.4 (10)
Gaston	1,257	10.0 (48)	5.4 (26)	2,570	6.0 (52)	9.8 (74)	11.0 (8)	766	15.7 (41)	13.8 (28)	2,549	3.7 (5)
Gates	75	* *	* *	248	3.2 (4)	10.5 (79)	16.9 (71)	115	15.7 (41)	19.1 (74)	247	12.1 (56)
Graham	62	* *	* *	267	4.5 (23)	3.4 (1)	15.0 (47)	170	19.4 (87)	17.1 (64)	208	6.3 (19)
Granville	313	10.9 (61)	5.1 (21)	1,114	3.3 (6)	9.3 (67)	14.6 (44)	545	18.3 (79)	16.5 (55)	845	19.3 (82)
Greene	207	12.6 (72)	4.3 (13)	890	6.4 (65)	6.0 (25)	17.8 (78)	462	13.9 (23)	16.2 (53)	687	25.0 (94)
Guilford	1,894	9.5 (35)	6.0 (35)	4,649	4.3 (21)	8.0 (53)	13.5 (27)	3,311	15.3 (36)	14.4 (34)	2,926	3.5 (4)
Halifax	521	13.4 (76)	4.6 (16)	1,750	3.5 (7)	7.4 (45)	15.0 (47)	879	15.4 (37)	13.4 (22)	1,524	20.4 (85)
Harnett	606	10.7 (59)	7.4 (61)	2,443	6.2 (60)	5.0 (12)	16.8 (70)	1,265	16.4 (56)	13.3 (19)	2,156	10.9 (52)
Haywood	280	11.8 (70)	8.6 (76)	780	10.3 (94)	9.9 (75)	13.3 (24)	365	19.2 (84)	15.9 (51)	695	6.0 (17)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6B**  
**2006 Pediatric Nutrition Surveillance** (1)  
**North Carolina**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Henderson	441	8.6 (19)	6.1 (38)	1,095	6.7 (70)	8.8 (61)	13.9 (35)	450	18.9 (82)	17.8 (68)	943	21.5 (88)
Hertford	228	12.3 (71)	3.5 (7)	805	5.0 (30)	9.1 (64)	12.3 (14)	346	14.2 (26)	13.3 (19)	571	11.6 (54)
Hoke	503	9.5 (35)	6.6 (47)	1,644	10.7 (95)	7.9 (52)	21.4 (96)	718	14.9 (33)	23.3 (93)	1,093	14.0 (60)
Hyde	39	* *	* *	130	3.1 (3)	6.2 (27)	15.4 (53)	81	* *	* *	131	40.5 (98)
Iredell	949	10.6 (56)	5.0 (19)	3,407	4.9 (29)	7.6 (49)	14.2 (40)	1,510	12.7 (14)	12.3 (16)	2,541	3.4 (3)
Jackson	175	6.9 (6)	8.0 (69)	683	6.1 (56)	6.3 (29)	18.4 (85)	320	17.2 (68)	19.4 (76)	520	5.4 (13)
Johnston	755	9.4 (31)	6.0 (35)	2,071	5.8 (49)	7.5 (47)	15.2 (51)	862	16.9 (63)	17.1 (64)	1,726	9.0 (39)
Jones	63	* *	* *	87	* *	* *	* *	32	* *	* *	51	* *
Lee	506	10.9 (61)	5.1 (21)	1,755	3.2 (4)	8.0 (53)	12.5 (17)	764	14.4 (27)	11.9 (13)	1,287	30.8 (97)
Lenoir	541	10.7 (59)	6.5 (46)	1,401	3.9 (16)	10.5 (79)	13.3 (24)	631	10.8 (5)	12.0 (14)	1,249	8.2 (36)
Lincoln	489	9.6 (38)	7.0 (54)	556	6.3 (62)	12.8 (91)	10.4 (4)	280	5.7 (1)	9.3 (4)	1,177	6.0 (17)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2006 Pediatric Nutrition Surveillance** (1)  
**North Carolina**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Macon	162	9.3 (29)	5.6 (28)	596	7.0 (79)	3.9 (4)	15.4 (53)	328	17.4 (71)	15.9 (51)	575	4.2 (8)
Madison	103	13.6 (79)	9.7 (83)	308	9.4 (92)	6.2 (27)	21.1 (95)	205	15.6 (40)	20.0 (80)	283	17.0 (71)
Martin	218	10.6 (56)	3.2 (5)	694	7.9 (86)	6.5 (32)	16.9 (71)	336	15.5 (39)	15.2 (41)	538	14.7 (62)
Mcdowell	365	6.3 (4)	4.4 (14)	1,069	5.3 (40)	5.8 (19)	13.1 (23)	580	14.8 (32)	13.6 (26)	970	17.2 (74)
Mecklenbur	4,352	9.3 (29)	6.3 (43)	10,576	6.5 (68)	6.0 (25)	16.5 (68)	4,789	17.5 (75)	17.6 (67)	5,764	23.5 (92)
Mitchell	101	13.9 (81)	1.0 (1)	353	11.9 (96)	7.4 (45)	13.3 (24)	201	11.4 (7)	10.9 (8)	328	2.4 (1)
Montgomery	223	6.3 (4)	9.0 (81)	704	6.4 (65)	8.5 (59)	21.0 (94)	323	16.7 (58)	20.1 (82)	465	6.9 (24)
Moore	369	10.6 (56)	7.3 (58)	1,518	6.7 (70)	7.6 (49)	15.7 (58)	709	16.8 (59)	14.7 (37)	1,210	6.6 (23)
Nash	726	10.3 (52)	7.7 (64)	1,832	5.1 (34)	12.3 (89)	12.5 (17)	691	13.9 (23)	12.9 (18)	1,286	7.9 (33)
New Hanove	958	9.6 (38)	8.4 (74)	2,134	6.7 (70)	6.4 (30)	14.4 (43)	915	13.8 (22)	14.0 (31)	1,132	8.9 (38)
Northhampt	199	15.6 (82)	4.0 (10)	740	4.1 (18)	8.1 (55)	15.8 (59)	354	18.9 (82)	17.5 (66)	540	18.3 (77)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2006 Pediatric Nutrition Surveillance** (1)  
**North Carolina**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Onslow	2,134	8.9 (23)	7.5 (63)	5,662	4.7 (27)	9.5 (72)	10.8 (7)	2,268	15.9 (47)	10.0 (6)	4,228	6.3 (19)
Orange	440	6.1 (3)	7.7 (64)	2,274	6.5 (68)	6.7 (34)	17.6 (76)	1,047	18.2 (77)	18.6 (73)	1,714	11.1 (53)
Pamlico	88	* *	* *	259	9.3 (90)	10.0 (76)	13.5 (27)	121	17.4 (71)	15.7 (48)	128	9.4 (42)
Pasquotank	149	11.4 (66)	2.7 (4)	816	4.5 (23)	7.5 (47)	14.0 (38)	424	13.9 (23)	13.9 (30)	216	10.6 (49)
Pender	330	9.4 (31)	10.0 (85)	1,137	7.5 (82)	4.8 (9)	18.1 (80)	499	14.4 (27)	20.0 (80)	857	7.4 (30)
Perquimans	87	* *	* *	337	6.8 (73)	5.9 (22)	22.0 (98)	142	16.2 (53)	21.1 (86)	227	10.6 (49)
Person	263	9.5 (35)	8.0 (69)	862	3.6 (9)	8.4 (57)	15.5 (56)	433	14.5 (29)	17.8 (68)	669	4.6 (11)
Pitt	1,093	9.8 (44)	5.0 (19)	3,546	5.6 (46)	5.4 (16)	16.2 (65)	1,722	17.3 (69)	15.3 (44)	2,979	21.2 (87)
Polk	45	* *	* *	251	6.0 (52)	4.8 (9)	18.3 (84)	131	14.5 (29)	19.1 (74)	228	22.8 (90)
Randolph	855	8.8 (21)	7.4 (61)	3,240	6.8 (73)	6.6 (33)	16.5 (68)	1,484	19.6 (88)	22.2 (89)	2,642	3.7 (5)
Richmond	467	8.1 (14)	7.9 (68)	1,512	3.0 (2)	15.2 (96)	11.3 (9)	844	7.9 (2)	7.9 (2)	1,465	23.1 (91)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2006 Pediatric Nutrition Surveillance** (1)  
**North Carolina**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Robeson	942	9.7 (41)	6.9 (52)	2,443	6.0 (52)	8.1 (55)	16.3 (66)	1,653	13.3 (17)	14.4 (34)	1,921	6.5 (21)
Rockingham	584	8.0 (13)	5.8 (31)	2,051	3.7 (11)	11.6 (85)	11.5 (12)	870	13.6 (20)	10.7 (7)	1,551	7.1 (26)
Rowan	921	10.1 (51)	5.8 (31)	2,731	3.6 (9)	6.8 (37)	16.1 (64)	1,274	19.8 (89)	18.4 (72)	2,119	18.3 (77)
Rutherford	255	7.5 (10)	9.8 (84)	674	6.1 (56)	4.3 (6)	19.6 (90)	354	15.8 (45)	16.9 (61)	565	15.8 (67)
Sampson	681	8.1 (14)	6.0 (35)	2,367	6.9 (77)	9.1 (64)	20.4 (93)	1,149	17.4 (71)	23.0 (91)	1,972	16.1 (70)
Scotland	371	12.7 (73)	5.7 (29)	1,153	4.1 (18)	8.4 (57)	15.9 (60)	675	11.9 (8)	13.8 (28)	1,106	21.0 (86)
Stanly	385	9.4 (31)	4.2 (12)	935	3.5 (7)	10.1 (77)	11.4 (11)	542	12.2 (10)	11.3 (10)	849	20.0 (84)
Stokes	242	11.2 (65)	4.5 (15)	862	5.1 (34)	12.1 (88)	11.3 (9)	412	18.4 (80)	14.1 (32)	659	9.9 (44)
Surry	500	10.0 (48)	7.2 (56)	759	6.9 (77)	17.9 (97)	11.7 (13)	226	15.9 (47)	13.3 (19)	1,260	4.2 (8)
Swain	88	* *	* *	239	5.0 (30)	3.8 (3)	13.8 (34)	141	16.3 (55)	14.2 (33)	213	7.0 (25)
Transylvan	169	7.1 (7)	4.1 (11)	429	5.6 (46)	13.1 (93)	12.8 (22)	193	20.2 (90)	16.6 (58)	308	19.2 (80)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2006 Pediatric Nutrition Surveillance** (1)  
**North Carolina**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Tyrrell	40	* *	* *	200	7.0 (79)	4.0 (5)	22.0 (98)	119	16.0 (52)	22.7 (90)	162	16.0 (69)
Union	764	7.9 (12)	7.3 (58)	1,745	7.8 (84)	6.4 (30)	15.2 (51)	866	17.4 (71)	15.6 (47)	1,369	14.7 (62)
Vance	463	13.2 (74)	5.8 (31)	1,433	6.8 (73)	9.4 (69)	14.2 (40)	674	15.4 (37)	11.3 (10)	958	12.9 (58)
Wake	4,003	8.6 (19)	8.6 (76)	14,086	6.0 (52)	7.2 (41)	13.6 (30)	5,700	15.8 (45)	15.2 (41)	8,864	7.1 (26)
Warren	170	15.9 (84)	5.3 (25)	728	3.8 (13)	10.2 (78)	13.5 (27)	369	9.2 (4)	11.1 (9)	576	10.4 (48)
Washington	122	9.8 (44)	5.7 (29)	476	9.9 (93)	10.5 (79)	10.7 (5)	281	8.9 (3)	7.8 (1)	428	17.1 (72)
Watauga	128	4.7 (1)	8.6 (76)	394	6.3 (62)	9.4 (69)	10.7 (5)	207	12.6 (12)	12.6 (17)	270	15.2 (66)
Wayne Coun	953	8.3 (17)	6.6 (47)	3,219	6.1 (56)	10.8 (82)	14.9 (46)	1,372	19.3 (85)	19.9 (79)	2,404	10.3 (47)
Wilkes	456	9.2 (27)	6.4 (45)	1,269	5.8 (49)	5.8 (19)	16.0 (63)	693	15.7 (41)	19.5 (77)	1,084	5.2 (12)
Wilson Cou	669	7.2 (8)	5.5 (27)	2,626	5.4 (43)	7.1 (39)	18.0 (79)	1,192	17.3 (69)	20.4 (84)	2,070	10.8 (51)
Yadkin	217	8.8 (21)	3.7 (8)	812	8.9 (87)	5.2 (13)	17.4 (75)	419	16.2 (53)	16.7 (59)	666	8.7 (37)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2006 Pediatric Nutrition Surveillance** (1)  
**North Carolina**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)													
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)			
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)	≥ 2 Yrs Over- weight (7)						
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Yancey	99	* *	* *	400	9.0 (88)	7.8 (51)	12.5 (17)	211	15.2 (35)	11.4 (12)		273	9.2 (41)
Unknown Counties	1	* *	* *	1	* *	* *	* *	0	* *	* *		0	* *
<b>North Carolina</b>	<b>58,519</b>	<b>9.7</b>	<b>6.7</b>	<b>172,985</b>	<b>5.7</b>	<b>8.4</b>	<b>14.8</b>	<b>80,161</b>	<b>15.7</b>	<b>15.4</b>		<b>128,357</b>	<b>12.2</b>
<b>Nation (Prior Year)</b>	<b>1,641,264</b>	<b>9.4</b>	<b>6.6</b>	<b>6,709,486</b>	<b>6.4</b>	<b>4.8</b>	<b>13.9</b>	<b>2,869,075</b>	<b>16.1</b>	<b>14.7</b>		<b>4,381,087</b>	<b>13.6</b>

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 7B**  
**2006 Pediatric Nutrition Surveillance** (1)  
**North Carolina**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
(4,5)

County	Breastfeeding (5)		Exclusive Breastfeeding (6)		≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number  (Rank)	% Ever Breastfed  (Rank)	Number  (Rank)	% Breastfed At Least 6 Months  (Rank)	Number  (Rank)	% Breastfed At Least 12 Months  (Rank)	Number  (Rank)	%  (Rank)
Alamance	855	50.5 (53)	338	18.0 (23)	434	17.3 (19)	0	* * *
Alexander	269	45.0 (62)	71	* * *	128	19.5 (14)	0	* * *
Alleghany	73	* * *	38	* * *	41	* * *	0	* * *
Anson	231	33.8 (77)	82	* * *	112	1.8 (68)	0	* * *
Ashe	156	55.1 (40)	68	* * *	76	* * *	0	* * *
Avery	89	* * *	6	* * *	7	* * *	0	* * *
Beaufort	380	48.7 (55)	152	13.8 (38)	231	10.8 (44)	0	* * *
Bertie	187	17.6 (83)	61	* * *	82	* * *	0	* * *
Bladen	315	57.5 (30)	89	* * *	127	22.8 (7)	0	* * *
Brunswick	606	45.5 (61)	177	18.6 (20)	304	16.4 (20)	0	* * *
Buncombe	1,361	76.4 (8)	443	25.5 (9)	716	19.3 (15)	0	* * *
Burke	660	57.7 (29)	200	13.5 (39)	313	11.2 (42)	0	* * *
Cabarrus	1,248	63.9 (22)	417	22.8 (14)	794	14.4 (26)	0	* * *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2006 Pediatric Nutrition Surveillance** (1)  
**North Carolina**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
(4,5)

County	Breastfeeding (5)		Exclusive Breastfeeding (6)		≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number  (Rank)	% Ever Breastfed  (Rank)	Number  (Rank)	% Breastfed At Least 6 Months  (Rank)	Number  (Rank)	% Breastfed At Least 12 Months  (Rank)	Number  (Rank)	%  (Rank)
Caldwell	629	47.7 (57)	218	16.1 (28)	298	12.1 (37)	0	* * *
Camden	53	* * *	20	* * *	38	* * *	0	* * *
Carteret	409	55.5 (37)	138	13.0 (42)	162	6.8 (58)	0	* * *
Caswell	102	56.9 (33)	57	* * *	102	2.0 (67)	0	* * *
Catawba	1,058	54.7 (43)	364	15.9 (30)	402	15.7 (21)	0	* * *
Chatham	504	79.8 (7)	210	37.1 (1)	282	27.7 (2)	0	* * *
Cherokee	224	55.4 (38)	80	* * *	96	* * *	0	* * *
Chowan	126	19.0 (82)	47	* * *	71	* * *	0	* * *
Clay	52	* * *	22	* * *	30	* * *	0	* * *
Cleveland	683	15.2 (85)	24	* * *	52	* * *	0	* * *
Columbus	525	37.0 (74)	157	18.5 (21)	209	8.6 (53)	0	* * *
Craven	847	52.5 (49)	302	17.9 (24)	437	10.8 (44)	0	* * *
Cumberland	3,497	65.2 (18)	1,369	14.4 (36)	1,836	10.6 (46)	0	* * *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.





**Table 7B**  
**2006 Pediatric Nutrition Surveillance** (1)  
**North Carolina**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
(4,5)

County	Breastfeeding (5)		Exclusive Breastfeeding (6)		≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number  (Rank)	% Ever Breastfed  (Rank)	Number  (Rank)	% Breastfed At Least 6 Months  (Rank)	Number  (Rank)	% Breastfed At Least 12 Months  (Rank)	Number  (Rank)	%  (Rank)
Currituck	73	* *	50	* *	66	* *	0	* *
Dare	168	97.6 (2)	78	* *	100	20.0 (12)	0	* *
Davidson	931	54.6 (44)	362	13.0 (42)	453	11.9 (39)	0	* *
Davie	186	67.2 (15)	84	* *	114	21.1 (11)	0	* *
Duplin	641	49.6 (54)	65	* *	93	* *	0	* *
Durham	1,531	65.1 (20)	718	27.0 (8)	837	23.9 (6)	0	* *
Edgecombe	438	24.4 (81)	21	* *	32	* *	0	* *
Forsyth	2,405	74.3 (9)	868	30.8 (3)	1,137	26.4 (3)	0	* *
Franklin	331	43.5 (66)	16	* *	30	* *	0	* *
Gaston	1,259	43.9 (65)	431	16.7 (27)	629	13.8 (30)	0	* *
Gates	75	* *	40	* *	66	* *	0	* *
Graham	62	* *	26	* *	51	* *	0	* *
Granville	313	39.0 (69)	100	12.0 (45)	205	7.3 (55)	0	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2006 Pediatric Nutrition Surveillance** (1)  
**North Carolina**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
(4,5)

County	Breastfeeding (5)		Exclusive Breastfeeding (6)		≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number  (Rank)	% Ever Breastfed  (Rank)	Number  (Rank)	% Breastfed At Least 6 Months  (Rank)	Number  (Rank)	% Breastfed At Least 12 Months  (Rank)	Number  (Rank)	%  (Rank)
Greene	207	58.0 (28)	88	* *	116	9.5 (50)	0	* *
Guilford	1,896	65.2 (18)	191	34.0 (2)	229	18.8 (16)	0	* *
Halifax	522	30.8 (80)	195	5.6 (50)	402	2.7 (66)	0	* *
Harnett	608	53.3 (48)	287	17.4 (25)	367	10.1 (48)	0	* *
Haywood	282	53.5 (47)	129	9.3 (48)	163	6.1 (60)	0	* *
Henderson	444	81.8 (5)	149	28.9 (6)	218	24.8 (5)	0	* *
Hertford	229	33.2 (78)	85	* *	169	7.1 (57)	0	* *
Hoke	503	54.9 (42)	112	24.1 (11)	263	14.8 (24)	0	* *
Hyde	39	* *	15	* *	26	* *	0	* *
Iredell	951	69.5 (13)	381	15.5 (32)	580	12.2 (35)	0	* *
Jackson	175	57.1 (32)	82	* *	95	* *	0	* *
Johnston	787	45.7 (60)	285	13.3 (40)	448	14.7 (25)	0	* *
Jones	63	* *	1	* *	4	* *	0	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2006 Pediatric Nutrition Surveillance** (1)  
**North Carolina**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
(4,5)

County	Breastfeeding (5)		Exclusive Breastfeeding (6)		≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number  (Rank)	% Ever Breastfed  (Rank)	Number  (Rank)	% Breastfed At Least 6 Months  (Rank)	Number  (Rank)	% Breastfed At Least 12 Months  (Rank)	Number  (Rank)	%  (Rank)
Lee	509	56.0 (36)	213	17.4 (25)	284	13.7 (32)	0	* * *
Lenoir	542	32.7 (79)	213	15.0 (33)	248	5.6 (63)	0	* * *
Lincoln	491	58.9 (25)	211	14.7 (35)	209	11.0 (43)	0	* * *
Macon	163	73.0 (10)	85	* * *	119	21.8 (10)	0	* * *
Madison	103	98.1 (1)	16	* * *	21	* * *	0	* * *
Martin	218	38.5 (70)	67	* * *	107	13.1 (34)	0	* * *
Mcdowell	367	56.9 (33)	133	20.3 (16)	184	15.2 (23)	0	* * *
Mecklenbur	4,473	53.7 (45)	1,666	18.8 (19)	2,547	14.1 (28)	0	* * *
Mitchell	102	62.7 (23)	40	* * *	71	* * *	0	* * *
Montgomery	223	66.8 (16)	36	* * *	48	* * *	0	* * *
Moore	370	51.4 (52)	85	* * *	175	12.0 (38)	0	* * *
Nash	727	44.0 (64)	223	14.8 (34)	401	10.0 (49)	0	* * *
New Hanove	963	56.1 (35)	350	24.0 (13)	520	17.9 (18)	0	* * *

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.  
Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) Children ages 2 years and older included in the analyses.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2006 Pediatric Nutrition Surveillance** (1)  
**North Carolina**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
(4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Northhampt	199	15.6 (84)	60	* *	135	4.4 (65)	0	* *	0	* *	0	* *
Onslow	2,140	58.3 (26)	657	18.9 (18)	947	12.2 (35)	0	* *	0	* *	0	* *
Orange	440	57.3 (31)	267	22.8 (14)	371	19.7 (13)	0	* *	0	* *	0	* *
Pamlico	88	* *	14	* *	10	* *	0	* *	0	* *	0	* *
Pasquotank	149	8.1 (86)	148	2.7 (51)	185	1.6 (69)	0	* *	0	* *	0	* *
Pender	332	52.1 (50)	149	10.7 (46)	176	10.2 (47)	0	* *	0	* *	0	* *
Perquimans	87	* *	30	* *	50	* *	0	* *	0	* *	0	* *
Person	263	38.0 (71)	64	* *	121	5.8 (61)	0	* *	0	* *	0	* *
Pitt	1,095	46.8 (58)	427	18.5 (21)	541	9.4 (51)	0	* *	0	* *	0	* *
Polk	45	* *	40	* *	38	* *	0	* *	0	* *	0	* *
Randolph	865	72.4 (11)	391	24.6 (10)	444	15.5 (22)	0	* *	0	* *	0	* *
Richmond	467	37.7 (73)	219	10.0 (47)	231	11.3 (41)	0	* *	0	* *	0	* *
Robeson	944	35.0 (76)	85	* *	105	11.4 (40)	0	* *	0	* *	0	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2006 Pediatric Nutrition Surveillance** (1)  
**North Carolina**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
(4,5)

County	Breastfeeding (5)		Exclusive Breastfeeding (6)		≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number  (Rank)	% Ever Breastfed  (Rank)	Number  (Rank)	% Breastfed At Least 6 Months  (Rank)	Number  (Rank)	% Breastfed At Least 12 Months  (Rank)	Number  (Rank)	%  (Rank)
Rockingham	586	48.0 (56)	221	15.8 (31)	326	14.1 (28)	0	* * *
Rowan	922	55.0 (41)	317	12.9 (44)	564	8.7 (52)	0	* * *
Rutherford	255	53.7 (45)	50	* * *	62	* * *	0	* * *
Sampson	682	39.4 (68)	280	19.6 (17)	422	18.5 (17)	0	* * *
Scotland	371	35.8 (75)	134	6.0 (49)	231	4.8 (64)	0	* * *
Stanly	385	68.1 (14)	93	* * *	141	5.7 (62)	0	* * *
Stokes	244	55.3 (39)	88	* * *	157	6.4 (59)	0	* * *
Surry	501	59.1 (24)	199	28.6 (7)	269	21.9 (9)	0	* * *
Swain	88	* * *	5	* * *	16	* * *	0	* * *
Transylvan	170	92.9 (3)	32	* * *	44	* * *	0	* * *
Tyrrell	40	* * *	21	* * *	31	* * *	0	* * *
Union	782	66.6 (17)	108	24.1 (11)	185	22.2 (8)	0	* * *
Vance	464	45.9 (59)	103	30.1 (5)	244	33.2 (1)	0	* * *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2006 Pediatric Nutrition Surveillance** (1)  
**North Carolina**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
(4,5)

County	Breastfeeding (5)		Exclusive Breastfeeding (6)		≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number  (Rank)	% Ever Breastfed  (Rank)	Number  (Rank)	% Breastfed At Least 6 Months  (Rank)	Number  (Rank)	% Breastfed At Least 12 Months  (Rank)	Number  (Rank)	%  (Rank)
Wake	4,021	83.8 (4)	1,561	30.4 (4)	2,205	25.8 (4)	0	* *
Warren	171	38.0 (71)	59	* *	114	7.9 (54)	0	* *
Washington	122	42.6 (67)	55	* *	86	* *	0	* *
Watauga	128	64.8 (21)	37	* *	55	* *	0	* *
Wayne Coun	955	58.2 (27)	327	14.4 (36)	553	7.2 (56)	0	* *
Wilkes	456	52.0 (51)	168	16.1 (28)	225	13.8 (30)	0	* *
Wilson Cou	674	44.8 (63)	288	13.2 (41)	396	13.6 (33)	0	* *
Yadkin	217	81.6 (6)	94	* *	182	14.3 (27)	0	* *
Yancey	109	69.7 (12)	14	* *	23	* *	0	* *
Unknown Counties	1	* *	0	* *	0	* *	0	* *
<b>North Carolina</b>	<b>58,967</b>	<b>57.1</b>	<b>20,152</b>	<b>19.6</b>	<b>29,092</b>	<b>14.9</b>	<b>0</b>	<b>*</b>
<b>Nation (Prior Year)</b>	<b>1,515,954</b>	<b>58.5</b>	<b>751,259</b>	<b>24.3</b>	<b>869,342</b>	<b>17.7</b>	<b>101,887</b>	<b>13.6</b>
							<b>136,891</b>	<b>6.8</b>
							<b>343,170</b>	<b>64.7</b>
							<b>1,120,034</b>	<b>16.9</b>

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6B**  
**2004 - 2006 Pediatric Nutrition Surveillance** (1)  
**North Carolina**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Alamance	2,467	9.0 (27)	8.4 (92)	8,069	6.0 (60)	7.3 (47)	18.1 (88)	3,279	19.1 (96)	17.2 (73)	6,130	30.4 (101)
Alexander	780	9.4 (40)	8.5 (93)	2,248	17.4 (101)	10.1 (78)	18.5 (90)	1,152	15.5 (38)	21.3 (98)	1,963	16.8 (77)
Alleghany	228	11.4 (82)	3.5 (2)	875	6.5 (73)	5.9 (20)	17.3 (80)	454	22.7 (100)	21.6 (99)	687	17.8 (80)
Anson	714	11.2 (81)	3.9 (4)	2,125	7.3 (86)	7.2 (41)	20.1 (98)	1,225	12.2 (10)	15.3 (44)	1,921	15.1 (75)
Ashe	537	9.5 (42)	4.8 (11)	1,873	5.9 (57)	6.7 (33)	15.9 (60)	1,086	12.5 (12)	14.0 (30)	1,679	13.2 (65)
Avery	308	9.7 (54)	7.1 (62)	391	11.8 (100)	6.1 (24)	17.4 (82)	203	15.3 (36)	18.2 (86)	240	4.6 (8)
Beaufort	1,197	10.0 (59)	6.3 (39)	3,815	5.3 (43)	6.1 (24)	16.9 (74)	1,944	15.9 (46)	18.1 (84)	3,452	10.3 (47)
Bertie	515	16.9 (101)	4.5 (7)	1,916	10.7 (98)	9.2 (73)	16.6 (72)	1,085	12.4 (11)	16.4 (62)	1,720	26.3 (96)
Bladen	987	10.3 (65)	5.7 (26)	3,382	4.2 (17)	11.3 (85)	14.5 (40)	1,498	15.0 (31)	14.5 (34)	2,180	4.9 (11)
Brunswick	1,828	9.5 (42)	8.1 (83)	5,547	6.7 (76)	7.1 (39)	15.0 (49)	2,557	17.2 (67)	16.0 (56)	4,145	3.6 (5)
Buncombe	4,076	10.2 (64)	8.2 (88)	10,878	5.8 (55)	5.0 (7)	15.9 (60)	5,525	17.0 (63)	15.6 (50)	9,763	11.6 (56)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2004 - 2006 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**North Carolina**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Growth and Anemia Indicators by County</b> <sup>(3,4)</sup>												
<b>County</b>	Birthweight <sup>(5)</sup>			Height and Weight						Anemia Low Hb/Hct <sup>(8)</sup>		
	Low	High		Short Stature <sup>(6)</sup>	Under- weight <sup>(7)</sup>	Over- weight <sup>(7)</sup>		≥ 2 Yrs Over- weight <sup>(7)</sup>				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Burke	1,817	8.9 (26)	5.8 (27)	5,257	5.1 (36)	9.5 (76)	13.4 (24)	2,423	15.4 (37)	13.8 (26)	4,288	8.2 (35)
Cabarrus	1,521	9.0 (27)	6.3 (39)	5,509	4.2 (17)	11.5 (86)	13.2 (20)	2,518	15.8 (43)	16.8 (67)	3,213	6.9 (24)
Caldwell	1,950	9.7 (54)	6.9 (56)	5,220	7.0 (81)	7.9 (56)	17.6 (83)	2,546	19.0 (95)	17.7 (80)	4,524	7.0 (26)
Camden	149	12.1 (89)	4.0 (5)	621	6.0 (60)	12.1 (88)	14.5 (40)	286	8.0 (3)	7.7 (3)	420	7.4 (29)
Carteret	1,025	9.0 (27)	9.1 (99)	2,798	4.1 (15)	11.8 (87)	13.3 (22)	1,133	16.2 (50)	16.5 (63)	2,314	8.6 (38)
Caswell	410	13.7 (99)	4.6 (9)	1,490	5.7 (51)	6.0 (22)	14.2 (34)	784	18.0 (81)	13.8 (26)	1,201	6.7 (22)
Catawba	2,810	9.5 (42)	7.8 (74)	4,272	5.1 (36)	18.8 (99)	8.9 (2)	1,496	17.8 (78)	16.0 (56)	5,950	7.0 (26)
Chatham	1,388	8.0 (8)	7.5 (69)	4,099	6.2 (66)	6.0 (22)	18.8 (95)	1,884	17.3 (70)	19.1 (91)	3,295	12.7 (63)
Cherokee	638	11.1 (78)	6.9 (56)	1,300	4.8 (30)	10.6 (82)	13.5 (25)	479	14.8 (28)	13.8 (26)	1,541	10.8 (50)
Chowan	384	13.5 (98)	5.5 (22)	1,475	4.7 (25)	10.1 (78)	14.2 (34)	681	16.7 (56)	16.2 (59)	1,105	17.3 (79)
Clay	178	3.4 (1)	6.7 (52)	676	7.0 (81)	5.3 (9)	14.1 (31)	392	16.3 (53)	17.6 (79)	621	5.6 (17)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6B**  
**2004 - 2006 Pediatric Nutrition Surveillance** (1)  
**North Carolina**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Cleveland	1,958	9.6 (47)	7.0 (58)	2,198	2.9 (1)	13.1 (94)	14.8 (46)	171	19.3 (98)	7.6 (2)	384	6.8 (23)
Columbus	886	13.2 (96)	7.0 (58)	4,374	7.9 (91)	4.6 (4)	20.0 (97)	2,134	16.7 (56)	15.3 (44)	2,880	15.0 (73)
Craven	2,795	9.0 (27)	8.7 (96)	7,149	3.9 (11)	6.9 (36)	14.4 (38)	3,474	16.8 (60)	15.5 (48)	6,235	11.9 (58)
Cumberland	10,627	9.6 (47)	8.1 (83)	33,955	4.3 (22)	12.2 (90)	10.9 (6)	14,680	12.0 (9)	8.9 (6)	26,714	19.9 (90)
Currituck	360	6.9 (3)	8.1 (83)	1,266	7.0 (81)	7.0 (38)	14.7 (44)	531	17.3 (70)	12.8 (16)	891	10.3 (47)
Dare	396	7.8 (7)	7.8 (74)	1,380	5.5 (45)	4.2 (1)	18.0 (86)	698	19.5 (99)	17.5 (78)	1,218	10.7 (49)
Davidson	2,908	11.0 (76)	6.2 (35)	8,511	5.0 (33)	8.2 (60)	12.8 (17)	3,769	13.9 (19)	12.1 (13)	7,362	8.1 (34)
Davie	566	8.0 (8)	7.6 (71)	1,878	6.0 (60)	5.3 (9)	15.0 (49)	1,022	17.2 (67)	14.4 (33)	1,877	7.5 (30)
Duplin	1,974	9.7 (54)	5.3 (19)	3,567	5.8 (55)	15.0 (97)	15.0 (49)	1,269	14.8 (28)	19.9 (96)	1,254	26.4 (97)
Durham	4,316	9.6 (47)	6.5 (48)	10,916	6.3 (68)	6.8 (35)	17.1 (75)	5,422	14.0 (20)	15.5 (48)	1,004	12.7 (63)
Edgecombe	1,634	12.4 (92)	4.2 (6)	821	5.4 (44)	27.5(101)	8.6 (1)	89	* *	* *	277	14.8 (72)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2004 - 2006 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**North Carolina**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Growth and Anemia Indicators by County</b> <sup>(3,4)</sup>												
<b>County</b>	Birthweight <sup>(5)</sup>			Height and Weight							Anemia Low Hb/Hct <sup>(8)</sup>	
	Low	High		Short Stature <sup>(6)</sup>	Under- weight <sup>(7)</sup>	Over- weight <sup>(7)</sup>		≥ 2 Yrs Over- weight <sup>(7)</sup>			Anemia Low Hb/Hct <sup>(8)</sup>	
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Forsyth	6,622	11.1 (78)	6.2 (35)	19,757	5.6 (47)	9.7 (77)	14.6 (42)	9,396	15.7 (41)	15.4 (47)	16,045	13.7 (69)
Franklin	1,065	8.6 (23)	8.0 (81)	3,539	3.9 (11)	7.2 (41)	15.8 (59)	1,975	17.4 (73)	15.9 (52)	2,224	5.0 (12)
Gaston	4,249	9.5 (42)	6.4 (44)	6,975	6.4 (70)	8.8 (68)	10.9 (6)	1,825	16.2 (50)	13.9 (29)	8,006	3.2 (2)
Gates	138	11.6 (83)	5.1 (14)	487	3.7 (10)	8.2 (60)	15.6 (58)	260	13.8 (18)	16.9 (68)	431	13.2 (65)
Graham	204	7.4 (5)	8.8 (97)	734	4.8 (30)	5.6 (13)	16.2 (65)	451	18.2 (84)	17.1 (70)	598	4.7 (9)
Granville	1,071	10.8 (72)	5.1 (14)	3,261	3.1 (3)	10.1 (78)	15.0 (49)	1,642	17.7 (75)	17.2 (73)	2,553	19.0 (87)
Greene	599	12.4 (92)	5.8 (27)	2,548	6.6 (75)	4.9 (5)	18.7 (93)	1,361	15.1 (32)	16.6 (65)	2,126	20.8 (92)
Guilford	6,170	10.6 (69)	6.0 (31)	14,360	4.7 (25)	8.6 (65)	12.3 (12)	9,703	14.7 (27)	13.5 (24)	9,627	4.7 (9)
Halifax	1,756	13.1 (95)	5.1 (14)	5,076	4.2 (17)	7.2 (41)	18.6 (91)	2,390	15.6 (40)	15.6 (50)	4,648	20.7 (91)
Harnett	2,317	9.2 (35)	7.2 (65)	7,599	6.8 (78)	5.6 (13)	16.0 (62)	3,799	16.1 (48)	12.8 (16)	6,252	12.3 (62)
Haywood	920	12.1 (89)	7.9 (79)	1,637	8.6 (93)	9.2 (73)	13.9 (29)	791	18.8 (90)	15.9 (52)	2,359	5.6 (17)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2004 - 2006 Pediatric Nutrition Surveillance** (1)  
**North Carolina**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Henderson	1,394	8.0 (8)	7.8 (74)	3,162	6.1 (64)	8.6 (65)	14.0 (30)	1,365	16.8 (60)	15.9 (52)	3,198	18.4 (84)
Hertford	774	12.0 (87)	3.6 (3)	2,483	4.1 (15)	9.4 (75)	12.5 (15)	1,061	15.8 (43)	14.8 (37)	1,719	10.9 (52)
Hoke	1,463	10.5 (66)	6.6 (50)	5,094	9.8 (97)	7.3 (47)	21.6(101)	2,284	16.1 (48)	19.2 (92)	3,200	25.6 (95)
Hyde	123	9.8 (57)	4.9 (13)	368	3.0 (2)	6.3 (28)	17.1 (75)	242	10.3 (5)	17.4 (77)	387	26.6 (98)
Iredell	2,676	9.6 (47)	6.0 (31)	9,581	5.0 (33)	7.3 (47)	14.3 (36)	4,169	14.1 (21)	12.8 (16)	7,101	3.2 (2)
Jackson	493	6.3 (2)	8.1 (83)	2,010	6.5 (73)	5.8 (19)	18.0 (86)	965	18.9 (94)	18.1 (84)	1,521	5.7 (19)
Johnston	2,319	9.1 (33)	6.4 (44)	5,623	5.9 (57)	7.2 (41)	15.1 (53)	2,486	16.5 (54)	17.1 (70)	5,234	10.1 (44)
Jones	247	6.9 (3)	9.3(101)	405	4.2 (17)	8.1 (58)	15.3 (56)	220	17.7 (75)	15.9 (52)	237	11.8 (57)
Lee	1,498	10.0 (59)	5.3 (19)	4,917	3.6 (8)	7.8 (54)	14.6 (42)	2,137	15.1 (32)	14.3 (32)	3,589	28.6 (99)
Lenoir	1,787	12.0 (87)	6.0 (31)	4,897	3.3 (5)	12.2 (90)	12.3 (12)	2,078	11.3 (7)	10.7 (10)	3,738	10.0 (43)
Lincoln	1,408	8.1 (13)	6.8 (55)	1,691	4.0 (14)	14.2 (96)	10.6 (5)	833	5.8 (1)	7.3 (1)	3,450	4.0 (6)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2004 - 2006 Pediatric Nutrition Surveillance** (1)  
**North Carolina**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Macon	628	8.6 (23)	8.8 (97)	1,769	7.5 (88)	4.3 (3)	17.1 (75)	1,036	17.8 (78)	17.0 (69)	1,677	5.0 (12)
Madison	330	12.1 (89)	9.1 (99)	1,244	9.6 (96)	6.2 (27)	20.3(100)	704	16.6 (55)	20.6 (97)	1,048	14.7 (71)
Martin	661	11.6 (83)	4.8 (11)	2,196	5.7 (51)	7.8 (54)	16.4 (69)	1,021	14.9 (30)	14.2 (31)	1,601	16.1 (76)
Mcdowell	983	9.4 (40)	5.6 (23)	3,053	5.1 (36)	5.9 (20)	13.5 (25)	1,674	15.2 (35)	13.1 (21)	2,728	17.0 (78)
Mecklenbur	11,916	9.3 (37)	6.7 (52)	30,538	6.4 (70)	6.6 (32)	16.4 (69)	14,068	17.2 (67)	17.3 (75)	16,476	13.6 (68)
Mitchell	314	8.3 (17)	4.5 (7)	1,118	11.3 (99)	5.6 (13)	14.3 (36)	647	11.7 (8)	13.0 (20)	1,060	1.7 (1)
Montgomery	738	8.4 (18)	8.3 (91)	2,691	6.7 (76)	8.2 (60)	18.4 (89)	1,257	18.2 (84)	18.0 (82)	1,967	5.2 (14)
Moore	1,351	9.0 (27)	7.3 (66)	4,684	5.6 (47)	7.7 (52)	17.1 (75)	2,251	17.1 (66)	14.8 (37)	4,243	9.1 (39)
Nash	2,336	9.1 (33)	7.0 (58)	6,088	5.2 (40)	10.8 (84)	13.3 (22)	2,431	14.2 (22)	13.7 (25)	4,010	8.3 (36)
New Hanove	3,194	11.1 (78)	7.4 (67)	6,024	6.8 (78)	5.6 (13)	15.2 (55)	2,745	15.5 (38)	14.9 (40)	3,654	7.6 (32)
Northhampt	573	13.4 (97)	4.7 (10)	2,148	4.5 (23)	7.2 (41)	16.2 (65)	1,100	18.5 (88)	17.9 (81)	1,628	21.2 (93)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2004 - 2006 Pediatric Nutrition Surveillance** (1)  
**North Carolina**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Onslow	6,484	8.8 (25)	7.6 (71)	17,693	4.2 (17)	9.0 (71)	10.2 (4)	7,315	15.1 (32)	9.4 (7)	13,556	5.4 (15)
Orange	1,438	8.1 (13)	8.5 (93)	6,259	6.4 (70)	6.9 (36)	17.3 (80)	2,913	18.4 (87)	19.8 (94)	4,865	13.9 (70)
Pamlico	275	10.5 (66)	6.2 (35)	921	7.3 (86)	8.9 (69)	15.4 (57)	451	18.8 (90)	18.0 (82)	492	8.3 (36)
Pasquotank	820	10.9 (73)	3.3 (1)	2,771	4.5 (23)	7.4 (50)	13.7 (28)	1,325	12.8 (13)	12.5 (14)	1,510	9.2 (40)
Pender	1,009	9.5 (42)	7.9 (79)	3,638	6.3 (68)	7.1 (39)	17.6 (83)	1,668	13.5 (16)	16.3 (61)	2,839	7.2 (28)
Perquimans	248	8.5 (21)	5.2 (18)	973	8.3 (92)	6.5 (30)	20.2 (99)	419	16.7 (56)	18.4 (87)	679	11.5 (55)
Person	801	11.6 (83)	8.2 (88)	2,641	3.5 (7)	7.7 (52)	14.8 (46)	1,278	16.0 (47)	14.7 (36)	2,091	5.4 (15)
Pitt	3,087	10.6 (69)	5.8 (27)	11,060	5.2 (40)	5.3 (9)	16.5 (71)	5,267	16.8 (60)	15.3 (44)	8,996	18.4 (84)
Polk	219	11.0 (76)	8.2 (88)	795	4.7 (25)	5.5 (12)	16.0 (62)	420	14.5 (24)	16.7 (66)	737	19.5 (88)
Randolph	2,950	9.3 (37)	8.6 (95)	9,371	5.7 (51)	7.4 (50)	17.2 (79)	4,218	18.8 (90)	22.4(100)	7,938	4.4 (7)
Richmond	1,431	8.2 (16)	6.4 (44)	5,040	3.4 (6)	15.2 (98)	10.9 (6)	2,766	7.7 (2)	7.8 (4)	4,683	23.1 (94)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2004 - 2006 Pediatric Nutrition Surveillance** (1)  
**North Carolina**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Robeson	3,300	10.1 (62)	7.1 (62)	8,098	6.1 (64)	8.3 (63)	16.0 (62)	5,492	14.5 (24)	14.9 (40)	6,448	5.7 (19)
Rockingham	1,676	10.0 (59)	6.3 (39)	6,167	3.2 (4)	12.7 (93)	11.3 (10)	2,721	11.0 (6)	10.4 (8)	4,745	7.8 (33)
Rowan	2,759	10.9 (73)	6.0 (31)	7,916	3.6 (8)	6.5 (30)	16.2 (65)	3,785	18.0 (81)	17.3 (75)	6,467	13.5 (67)
Rutherford	953	8.4 (18)	7.5 (69)	2,745	5.6 (47)	5.2 (8)	16.8 (73)	1,455	15.8 (43)	14.8 (37)	2,304	17.8 (80)
Sampson	2,033	8.0 (8)	8.1 (83)	6,689	7.6 (89)	9.1 (72)	19.2 (96)	3,294	16.7 (56)	19.8 (94)	5,727	18.0 (82)
Scotland	1,096	10.9 (73)	6.2 (35)	3,525	3.9 (11)	8.1 (58)	14.8 (46)	2,043	13.3 (15)	12.9 (19)	3,413	18.8 (86)
Stanly	1,166	10.5 (66)	5.9 (30)	2,970	4.8 (30)	8.4 (64)	13.2 (20)	1,717	13.0 (14)	11.8 (12)	2,735	29.7 (100)
Stokes	720	11.7 (86)	6.3 (39)	2,632	5.7 (51)	12.1 (88)	11.2 (9)	1,234	17.0 (63)	15.0 (42)	1,882	6.9 (24)
Surry	1,506	9.6 (47)	7.1 (62)	2,003	7.0 (81)	20.4 (100)	10.0 (3)	536	14.6 (26)	13.2 (22)	4,020	3.2 (2)
Swain	249	9.6 (47)	8.0 (81)	839	6.2 (66)	4.2 (1)	11.7 (11)	490	14.3 (23)	10.8 (11)	769	9.9 (42)
Transylvan	538	7.6 (6)	6.5 (48)	1,328	4.7 (25)	13.6 (95)	12.3 (12)	625	18.7 (89)	14.6 (35)	947	10.9 (52)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2004 - 2006 Pediatric Nutrition Surveillance** (1)  
**North Carolina**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Tyrrell	154	8.4 (18)	7.8 (74)	659	9.4 (95)	4.9 (5)	18.7 (93)	369	17.3 (70)	18.7 (90)	495	18.2 (83)
Union	2,564	8.0 (8)	7.4 (67)	7,192	7.0 (81)	5.7 (17)	14.7 (44)	3,556	17.4 (73)	15.2 (43)	5,934	11.2 (54)
Vance	1,497	12.4 (92)	5.6 (23)	4,368	6.0 (60)	8.9 (69)	14.4 (38)	2,170	16.2 (50)	13.3 (23)	3,157	15.0 (73)
Wake	11,160	8.5 (21)	7.8 (74)	40,349	5.9 (57)	7.2 (41)	14.1 (31)	16,915	17.0 (63)	16.0 (56)	25,820	7.5 (30)
Warren	490	16.3 (100)	5.3 (19)	2,270	5.1 (36)	7.9 (56)	13.0 (19)	1,154	13.5 (16)	10.5 (9)	1,835	10.2 (45)
Washington	395	9.6 (47)	5.6 (23)	1,518	6.8 (78)	10.2 (81)	12.5 (15)	895	8.9 (4)	8.8 (5)	1,345	19.5 (88)
Watauga	541	8.1 (13)	6.3 (39)	1,705	5.2 (40)	8.7 (67)	12.8 (17)	880	15.7 (41)	12.6 (15)	1,207	12.1 (60)
Wayne Coun	3,094	9.2 (35)	7.7 (73)	9,560	5.0 (33)	12.3 (92)	13.5 (25)	4,295	19.2 (97)	17.1 (70)	7,270	11.9 (58)
Wilkes	1,501	10.1 (62)	6.4 (44)	3,831	5.6 (47)	6.4 (29)	16.2 (65)	2,199	18.1 (83)	18.6 (88)	3,342	6.4 (21)
Wilson Cou	2,127	9.3 (37)	5.1 (14)	7,801	5.5 (45)	6.7 (33)	18.6 (91)	3,507	17.7 (75)	19.3 (93)	6,158	10.2 (45)
Yadkin	757	9.8 (57)	6.7 (52)	2,356	7.7 (90)	6.1 (24)	17.7 (85)	1,193	18.3 (86)	18.6 (88)	2,053	12.2 (61)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2004 - 2006 Pediatric Nutrition Surveillance** (1)  
**North Carolina**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)													
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)			
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Yancey	357	9.0 (27)	7.0 (58)	1,298	8.9 (94)	5.7 (17)	15.1 (53)	745	18.8 (90)	16.2 (59)		1,084	9.2 (40)
Unknown Counties	1,233	10.6 (69)	6.6 (50)	4,467	4.7 (25)	10.7 (83)	14.1 (31)	2,064	17.9 (80)	16.5 (63)		2,706	10.8 (50)
<b>North Carolina</b>	<b>177,272</b>	<b>9.8</b>	<b>6.9</b>	<b>511,056</b>	<b>5.6</b>	<b>8.4</b>	<b>14.7</b>	<b>239,630</b>	<b>15.8</b>	<b>15.0</b>		<b>391,032</b>	<b>11.9</b>

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2004 - 2006 Pediatric Nutrition Surveillance (1)**  
**North Carolina**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)**  
**Children Aged < 5 Years (3)**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
(4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Alamance	3,108	50.8 (60)	1,863	21.5 (27)	1,723	17.1 (26)	0	* *	0	* *	0	* *
Alexander	976	42.7 (75)	519	20.6 (31)	524	16.4 (29)	0	* *	0	* *	0	* *
Alleghany	278	59.0 (30)	169	5.3 (91)	152	1.3 (96)	0	* *	0	* *	0	* *
Anson	809	33.0 (90)	456	6.1 (89)	493	4.9 (88)	0	* *	0	* *	0	* *
Ashe	615	52.7 (55)	363	14.9 (61)	343	11.4 (54)	0	* *	0	* *	0	* *
Avery	337	57.9 (35)	56	* *	53	* *	0	* *	0	* *	0	* *
Beaufort	1,426	47.3 (68)	898	14.4 (65)	879	9.8 (65)	0	* *	0	* *	0	* *
Bertie	568	24.6 (94)	346	2.6 (95)	354	1.4 (95)	0	* *	0	* *	0	* *
Bladen	1,102	53.8 (50)	578	23.2 (22)	581	20.8 (14)	0	* *	0	* *	0	* *
Brunswick	2,151	47.3 (68)	1,090	20.9 (30)	1,147	15.6 (34)	0	* *	0	* *	0	* *
Buncombe	4,713	78.2 (9)	2,656	25.0 (18)	2,649	17.0 (27)	0	* *	0	* *	0	* *
Burke	2,165	59.0 (30)	1,146	12.7 (71)	1,147	9.9 (64)	0	* *	0	* *	0	* *
Cabarrus	2,465	65.0 (18)	1,300	29.0 (13)	1,336	19.9 (20)	0	* *	0	* *	0	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2004 - 2006 Pediatric Nutrition Surveillance** (1)  
**North Carolina**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
(4,5)

County	Breastfeeding (5)		Exclusive Breastfeeding (6)		≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number  (Rank)	% Ever Breastfed  (Rank)	Number  (Rank)	% Breastfed At Least 6 Months  (Rank)	Number  (Rank)	% Breastfed At Least 12 Months  (Rank)	Number  (Rank)	%  (Rank)
Caldwell	2,289	56.5 (38)	1,208	15.4 (55)	1,158	9.8 (65)	0	* * *
Camden	187	12.3(101)	122	0.8 (97)	138	0.0 (97)	0	* * *
Carteret	1,307	56.8 (37)	712	14.6 (63)	594	8.6 (74)	0	* * *
Caswell	501	50.9 (59)	334	8.1 (85)	359	4.2 (90)	0	* * *
Catawba	3,201	56.2 (40)	1,882	17.2 (43)	1,608	13.3 (45)	0	* * *
Chatham	1,743	78.7 (7)	1,035	34.9 (4)	959	25.3 (9)	0	* * *
Cherokee	777	52.5 (58)	416	16.1 (49)	394	11.9 (53)	0	* * *
Chowan	470	23.2 (96)	269	9.7 (83)	274	5.5 (84)	0	* * *
Clay	227	55.5 (44)	138	16.7 (45)	128	16.4 (29)	0	* * *
Cleveland	1,939	19.5 (99)	210	12.9 (70)	218	8.7 (73)	0	* * *
Columbus	1,597	45.2 (71)	940	12.4 (73)	858	9.4 (68)	0	* * *
Craven	3,262	53.4 (52)	1,857	17.8 (38)	1,751	14.6 (37)	0	* * *
Cumberland	13,648	58.5 (32)	7,550	13.0 (69)	7,146	10.7 (58)	0	* * *

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.  
Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) Children ages 2 years and older included in the analyses.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2004 - 2006 Pediatric Nutrition Surveillance (1)**  
**North Carolina**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)**  
**Children Aged < 5 Years (3)**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
(4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)
Currituck	444	66.4 (16)	267	0.7 (98)	270	0.0 (97)	0	* *	0	* *	0	* *
Dare	581	96.2 (1)	366	31.1 (9)	323	21.1 (13)	0	* *	0	* *	0	* *
Davidson	3,608	53.5 (51)	2,090	16.1 (49)	1,898	13.8 (41)	0	* *	0	* *	0	* *
Davie	682	59.8 (28)	442	21.5 (27)	449	19.4 (21)	0	* *	0	* *	0	* *
Duplin	2,090	52.8 (53)	464	13.1 (68)	471	10.6 (59)	0	* *	0	* *	0	* *
Durham	5,296	59.6 (29)	3,560	26.0 (15)	3,292	21.6 (12)	0	* *	0	* *	0	* *
Edgecombe	1,646	25.3 (93)	136	11.0 (80)	125	8.8 (71)	0	* *	0	* *	0	* *
Forsyth	8,369	71.3 (14)	4,791	33.1 (5)	4,449	26.7 (6)	0	* *	0	* *	0	* *
Franklin	1,102	41.0 (82)	220	15.9 (51)	215	13.5 (43)	0	* *	0	* *	0	* *
Gaston	5,071	43.7 (73)	2,408	16.3 (48)	2,369	10.8 (57)	0	* *	0	* *	0	* *
Gates	206	31.6 (92)	114	1.8 (96)	115	1.7 (94)	0	* *	0	* *	0	* *
Graham	234	21.4 (98)	151	15.9 (51)	165	20.0 (19)	0	* *	0	* *	0	* *
Granville	1,221	33.1 (89)	598	10.2 (82)	680	9.0 (70)	0	* *	0	* *	0	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2004 - 2006 Pediatric Nutrition Surveillance (1)**  
**North Carolina**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)**  
**Children Aged < 5 Years (3)**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
(4,5)

County	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number Breastfed At Least 6 Months (Rank)	Number Breastfed At Least 12 Months (Rank)	Number Breastfed At Least 3 Months (Rank)	Number Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Greene	739	56.2 (40)	495	16.4 (47)	487	11.1 (55)	0	* *	0	* *
Guilford	6,615	61.2 (24)	1,430	22.0 (25)	1,301	13.8 (41)	0	* *	0	* *
Halifax	1,941	32.8 (91)	1,150	4.9 (92)	1,337	3.1 (93)	0	* *	0	* *
Harnett	2,815	43.9 (72)	1,615	15.3 (57)	1,529	8.0 (79)	0	* *	0	* *
Haywood	1,059	50.2 (63)	627	15.2 (58)	613	10.0 (63)	0	* *	0	* *
Henderson	1,769	78.4 (8)	975	32.3 (6)	960	23.4 (10)	0	* *	0	* *
Hertford	843	37.1 (86)	478	7.1 (87)	544	5.0 (87)	0	* *	0	* *
Hoke	1,600	54.1 (48)	801	18.6 (37)	914	10.9 (56)	0	* *	0	* *
Hyde	151	62.3 (21)	82	* *	89	* *	0	* *	0	* *
Iredell	3,019	56.1 (42)	1,810	16.5 (46)	1,907	12.4 (50)	0	* *	0	* *
Jackson	588	59.9 (27)	370	21.9 (26)	330	18.2 (23)	0	* *	0	* *
Johnston	3,006	42.1 (79)	1,568	14.4 (65)	1,596	13.3 (45)	0	* *	0	* *
Jones	247	52.6 (56)	36	* *	43	* *	0	* *	0	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2004 - 2006 Pediatric Nutrition Surveillance (1)**  
**North Carolina**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)**  
**Children Aged < 5 Years (3)**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
(4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Lee	1,855	56.1 (42)	1,030	19.0 (36)	997	13.0 (48)	0	* *	0	* *	0	* *
Lenoir	2,218	35.0 (87)	1,113	11.8 (76)	978	5.1 (86)	0	* *	0	* *	0	* *
Lincoln	1,804	54.7 (46)	999	13.2 (67)	879	8.8 (71)	0	* *	0	* *	0	* *
Macon	804	75.0 (11)	462	27.3 (14)	462	15.4 (35)	0	* *	0	* *	0	* *
Madison	391	95.4 (2)	191	17.8 (38)	210	15.7 (33)	0	* *	0	* *	0	* *
Martin	731	38.7 (84)	395	12.4 (73)	428	8.6 (74)	0	* *	0	* *	0	* *
Mcdowell	1,280	57.6 (36)	745	22.7 (23)	712	14.3 (39)	0	* *	0	* *	0	* *
Mecklenbur	15,124	54.0 (49)	8,961	20.3 (32)	8,829	17.3 (25)	0	* *	0	* *	0	* *
Mitchell	408	64.5 (20)	240	29.2 (12)	259	20.8 (14)	0	* *	0	* *	0	* *
Montgomery	812	60.2 (26)	422	17.5 (40)	379	12.4 (50)	0	* *	0	* *	0	* *
Moore	1,577	48.4 (66)	951	14.9 (61)	977	12.4 (50)	0	* *	0	* *	0	* *
Nash	2,668	41.5 (81)	1,262	12.1 (75)	1,423	9.4 (68)	0	* *	0	* *	0	* *
New Hanove	3,869	50.8 (60)	1,918	22.4 (24)	1,897	15.2 (36)	0	* *	0	* *	0	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2004 - 2006 Pediatric Nutrition Surveillance (1)**  
**North Carolina**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)**  
**Children Aged < 5 Years (3)**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
(4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)
Northhampt	659	16.8(100)	369	6.0 (90)	427	4.4 (89)	0	* *	0	* *	0	* *
Onslow	7,706	58.3 (34)	4,231	17.5 (40)	4,105	10.3 (60)	0	* *	0	* *	0	* *
Orange	2,023	66.2 (17)	1,417	32.0 (8)	1,345	20.4 (16)	0	* *	0	* *	0	* *
Pamlico	295	64.7 (19)	127	24.4 (19)	133	21.8 (11)	0	* *	0	* *	0	* *
Pasquotank	1,044	22.0 (97)	698	3.4 (94)	692	3.6 (91)	0	* *	0	* *	0	* *
Pender	1,233	48.1 (67)	719	9.2 (84)	679	5.4 (85)	0	* *	0	* *	0	* *
Perquimans	344	24.4 (95)	219	6.4 (88)	194	5.7 (83)	0	* *	0	* *	0	* *
Person	883	40.0 (83)	466	11.6 (78)	489	6.5 (82)	0	* *	0	* *	0	* *
Pitt	3,544	49.2 (64)	2,207	15.5 (54)	2,143	10.3 (60)	0	* *	0	* *	0	* *
Polk	265	61.5 (23)	176	25.6 (17)	145	18.6 (22)	0	* *	0	* *	0	* *
Randolph	3,616	69.8 (15)	2,154	21.4 (29)	1,938	13.5 (43)	0	* *	0	* *	0	* *
Richmond	1,719	42.1 (79)	1,161	10.6 (81)	1,086	7.9 (80)	0	* *	0	* *	0	* *
Robeson	3,406	38.3 (85)	576	15.6 (53)	556	13.3 (45)	0	* *	0	* *	0	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2004 - 2006 Pediatric Nutrition Surveillance (1)**  
**North Carolina**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)**  
**Children Aged < 5 Years (3)**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
(4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Rockingham	1,964	46.8 (70)	1,228	17.1 (44)	1,229	14.3 (39)	0	* *	0	* *	0	* *
Rowan	3,320	55.0 (45)	1,887	15.4 (55)	1,931	9.5 (67)	0	* *	0	* *	0	* *
Rutherford	1,077	50.5 (62)	363	17.4 (42)	366	15.8 (32)	0	* *	0	* *	0	* *
Sampson	2,327	42.5 (76)	1,494	20.1 (34)	1,536	16.1 (31)	0	* *	0	* *	0	* *
Scotland	1,251	42.4 (77)	791	4.6 (93)	882	3.6 (91)	0	* *	0	* *	0	* *
Stanly	1,309	72.6 (13)	641	7.2 (86)	672	6.7 (81)	0	* *	0	* *	0	* *
Stokes	894	52.8 (53)	512	11.5 (79)	557	8.6 (74)	0	* *	0	* *	0	* *
Surry	1,687	58.4 (33)	1,072	24.2 (20)	1,056	20.1 (17)	0	* *	0	* *	0	* *
Swain	318	94.3 (3)	167	24.0 (21)	168	25.6 (8)	0	* *	0	* *	0	* *
Transylvan	610	93.6 (4)	193	35.8 (3)	183	29.0 (4)	0	* *	0	* *	0	* *
Tyrrell	180	54.4 (47)	113	30.1 (10)	125	27.2 (5)	0	* *	0	* *	0	* *
Union	3,078	74.3 (12)	1,276	19.9 (35)	1,460	16.5 (28)	0	* *	0	* *	0	* *
Vance	1,625	52.6 (56)	788	40.7 (1)	928	39.3 (1)	0	* *	0	* *	0	* *

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.  
Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) Children ages 2 years and older included in the analyses.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2004 - 2006 Pediatric Nutrition Surveillance (1)**  
**North Carolina**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)**  
**Children Aged < 5 Years (3)**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
(4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Wake	12,775	80.6 (6)	7,137	32.3 (6)	6,879	30.8 (3)	0	* *	0	* *	0	* *
Warren	570	34.4 (88)	403	11.7 (77)	450	8.4 (77)	0	* *	0	* *	0	* *
Washington	455	42.4 (77)	287	12.5 (72)	329	10.3 (60)	0	* *	0	* *	0	* *
Watauga	603	62.2 (22)	286	37.4 (2)	321	32.4 (2)	0	* *	0	* *	0	* *
Wayne Coun	3,607	56.3 (39)	1,947	15.1 (59)	2,134	8.4 (77)	0	* *	0	* *	0	* *
Wilkes	1,688	49.2 (64)	888	14.6 (63)	868	12.6 (49)	0	* *	0	* *	0	* *
Wilson Cou	2,654	43.1 (74)	1,550	15.0 (60)	1,512	14.6 (37)	0	* *	0	* *	0	* *
Yadkin	858	75.9 (10)	534	20.2 (33)	592	17.6 (24)	0	* *	0	* *	0	* *
Yancey	405	86.9 (5)	217	30.0 (11)	246	26.0 (7)	0	* *	0	* *	0	* *
Unknown Counties	1,453	60.3 (25)	1,148	26.0 (15)	1,131	20.1 (17)	0	* *	0	* *	0	* *
<b>North Carolina</b>	<b>211,789</b>	<b>56.0</b>	<b>113,288</b>	<b>19.4</b>	<b>111,354</b>	<b>15.0</b>	<b>0</b>	<b>*</b>	<b>0</b>	<b>*</b>	<b>0</b>	<b>*</b>

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

