Prevalence of Obesity, Overweight, Healthy Weight and Underweight in Children 2 through 18 years of age, By County, NC-NPASS*, 2009

| | UNDERWEIGHT | | HEALTHY WEIGHT | | OVERWEIGHT | | OBESE | | TOTAL |
|----------------------|-----------------|-------|------------------------------|-------|-------------------------------|-------|-------------------|-------|--------|
| HEALTH DEPARTMENT | <5th Percentile | | >=5th to <85th Percentile | | >=85th to <95th Percentile | | >=95th Percentile | | |
| | # | % | # | % | # | % | # | % | # |
| STATEWIDE | 2,981 | 3.5% | 53,134 | 62.3% | 13,782 | 16.2% | 15,341 | 18.0% | 85,238 |
| ALAMANCE | 17 | 2.0% | 576 | 66.4% | 114 | 13.1% | 160 | 18.5% | 867 |
| ALEXANDER | 14 | 5.6% | 154 | 61.4% | 42 | 16.7% | 41 | 16.3% | 251 |
| ALLEGHANY | 2 | 2.0% | 58 | 57.4% | 19 | 18.8% | 22 | 21.8% | 101 |
| ANSON | 41 | 14.2% | 194 | 67.4% | 24 | 8.3% | 29 | 10.1% | 288 |
| ASHE | 16 | 6.9% | 141 | 61.0% | 35 | 15.2% | 39 | 16.9% | 231 |
| AVERY | 4 | 2.6% | 94 | 60.3% | 32 | 20.5% | 26 | 16.7% | 156 |
| BEAUFORT | 13 | 3.3% | 258 | 65.2% | 64 | 16.2% | 61 | 15.4% | 396 |
| BERTIE | 11 | 5.8% | 122 | 64.2% | 24 | 12.6% | 33 | 17.4% | 190 |
| BLADEN | 13 | 2.6% | 307 | 60.8% | 85 | 16.8% | 100 | 19.8% | 505 |
| BRUNSWICK | 31 | 2.8% | 700 | 63.4% | 170 | 15.4% | 203 | 18.4% | 1,104 |
| BUNCOMBE | 57 | 1.8% | 1,896 | 59.6% | 538 | 16.9% | 690 | 21.7% | 3,181 |
| BURKE | 17 | 2.2% | 456 | 58.2% | 135 | 17.2% | 176 | 22.4% | 784 |
| CABARRUS | 39 | 1.5% | 1,509 | 57.4% | 487 | 18.5% | 592 | 22.5% | 2,627 |
| CALDWELL | 21 | 2.0% | 601 | 58.4% | 174 | 16.9% | 233 | 22.6% | 1,029 |
| CAMDEN | 3 | 3.8% | 49 | 62.8% | 15 | 19.2% | 11 | 14.1% | 78 |
| CARTERET | 8 | 2.3% | 222 | 63.8% | 55 | 15.8% | 63 | 18.1% | 348 |
| CASWELL | 14 | 3.7% | 233 | 61.0% | 63 | 16.5% | 72 | 18.8% | 382 |
| CATAWBA | 32 | 2.5% | 748 | 59.4% | 223 | 17.7% | 257 | 20.4% | 1,260 |
| СНАТНАМ | 25 | 4.5% | 348 | 62.3% | 83 | 14.8% | 103 | 18.4% | 559 |
| CHEROKEE | 6 | 2.2% | 175 | 64.6% | 45 | 16.6% | 45 | 16.6% | 271 |
| CHOWAN | 6 | 4.7% | 86 | 67.7% | 17 | 13.4% | 18 | 14.2% | 127 |
| CLAY | 9 | 4.0% | 149 | 66.8% | 23 | 10.3% | 42 | 18.8% | 223 |
| CLEVELAND | 22 | 3.1% | 417 | 59.1% | 102 | 14.5% | 164 | 23.3% | 705 |
| COLUMBUS | 34 | 4.7% | 450 | 62.2% | 128 | 17.7% | 112 | 15.5% | 724 |
| CRAVEN | 94 | 4.3% | 1,314 | 59.9% | 348 | 15.9% | 438 | 20.0% | 2,194 |

* North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers. Page 1 of 4

Prevalence of Obesity, Overweight, Healthy Weight and Underweight in Children 2 through 18 years of age, By County, NC-NPASS*, 2009

| | UNDERWEIGHT | | HEALTHY WEIGHT | | OVERWEIGHT | | OBESE | | TOTAL |
|----------------------|-----------------|-------|------------------------------|-------|-------------------------------|-------|-------------------|-------|--------|
| HEALTH DEPARTMENT | <5th Percentile | | >=5th to <85th Percentile | | >=85th to <95th Percentile | | >=95th Percentile | | |
| | # | % | # | % | # | % | # | % | # |
| STATEWIDE | 2,981 | 3.5% | 53,134 | 62.3% | 13,782 | 16.2% | 15,341 | 18.0% | 85,238 |
| CUMBERLAND | 386 | 10.2% | 2,814 | 74.3% | 321 | 8.5% | 266 | 7.0% | 3,787 |
| CURRITUCK | 2 | 1.7% | 84 | 72.4% | 17 | 14.7% | 13 | 11.2% | 116 |
| DARE | 12 | 3.5% | 225 | 65.2% | 54 | 15.7% | 54 | 15.7% | 345 |
| DAVIDSON | 26 | 2.4% | 721 | 67.4% | 166 | 15.5% | 157 | 14.7% | 1,070 |
| DAVIE | 8 | 2.1% | 238 | 62.3% | 62 | 16.2% | 74 | 19.4% | 382 |
| DUPLIN | 16 | 2.9% | 324 | 58.5% | 84 | 15.2% | 130 | 23.5% | 554 |
| DURHAM | 73 | 3.9% | 1,135 | 61.4% | 272 | 14.7% | 370 | 20.0% | 1,850 |
| EDGECOMBE | 6 | 3.4% | 117 | 66.9% | 27 | 15.4% | 25 | 14.3% | 175 |
| FORSYTH | 78 | 3.4% | 1,480 | 64.7% | 395 | 17.3% | 336 | 14.7% | 2,289 |
| FRANKLIN | 27 | 3.1% | 487 | 55.2% | 167 | 18.9% | 202 | 22.9% | 883 |
| GASTON | 27 | 2.7% | 675 | 67.0% | 173 | 17.2% | 133 | 13.2% | 1,008 |
| GATES | 4 | 4.3% | 60 | 63.8% | 16 | 17.0% | 14 | 14.9% | 94 |
| GRAHAM | 6 | 2.0% | 167 | 55.9% | 61 | 20.4% | 65 | 21.7% | 299 |
| GRANVILLE | 18 | 2.4% | 443 | 58.9% | 120 | 16.0% | 171 | 22.7% | 752 |
| GREENE | 11 | 2.4% | 279 | 60.8% | 77 | 16.8% | 92 | 20.0% | 459 |
| GUILFORD | 85 | 3.6% | 1,535 | 65.2% | 392 | 16.7% | 342 | 14.5% | 2,354 |
| HALIFAX | 31 | 3.1% | 597 | 60.5% | 144 | 14.6% | 214 | 21.7% | 986 |
| HARNETT | 42 | 3.2% | 798 | 61.5% | 218 | 16.8% | 240 | 18.5% | 1,298 |
| HAYWOOD | 12 | 3.0% | 269 | 67.1% | 56 | 14.0% | 64 | 16.0% | 401 |
| HENDERSON | 16 | 2.5% | 396 | 61.0% | 122 | 18.8% | 115 | 17.7% | 649 |
| HERTFORD | 15 | 5.2% | 198 | 69.0% | 41 | 14.3% | 33 | 11.5% | 287 |
| HOKE | 21 | 2.0% | 600 | 56.7% | 187 | 17.7% | 250 | 23.6% | 1,058 |
| HYDE | 8 | 8.9% | 54 | 60.0% | 9 | 10.0% | 19 | 21.1% | 90 |
| IREDELL | 36 | 2.5% | 924 | 63.3% | 244 | 16.7% | 255 | 17.5% | 1,459 |
| JACKSON | 4 | 1.6% | 160 | 62.5% | 36 | 14.1% | 56 | 21.9% | 256 |

* North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers. Page 2 of 4

Prevalence of Obesity, Overweight, Healthy Weight and Underweight in Children 2 through 18 years of age, By County, NC-NPASS*, 2009

| | UNDERWEIGHT | | HEALTHY WEIGHT | | OVERWEIGHT | | OBESE | | TOTAL |
|----------------------|-----------------|------|------------------------------|-------|-------------------------------|-------|-------------------|-------|--------|
| HEALTH DEPARTMENT | <5th Percentile | | >=5th to <85th Percentile | | >=85th to <95th Percentile | | >=95th Percentile | | |
| | # | % | # | % | # | % | # | % | # |
| STATEWIDE | 2,981 | 3.5% | 53,134 | 62.3% | 13,782 | 16.2% | 15,341 | 18.0% | 85,238 |
| JOHNSTON | 46 | 2.4% | 1,052 | 55.8% | 339 | 18.0% | 447 | 23.7% | 1,884 |
| JONES | 5 | 2.8% | 115 | 65.3% | 29 | 16.5% | 27 | 15.3% | 176 |
| LEE | 12 | 2.2% | 347 | 63.4% | 95 | 17.4% | 93 | 17.0% | 547 |
| LENOIR | 71 | 9.5% | 518 | 69.3% | 79 | 10.6% | 79 | 10.6% | 747 |
| LINCOLN | 34 | 5.9% | 407 | 70.3% | 62 | 10.7% | 76 | 13.1% | 579 |
| MACON | 12 | 3.5% | 221 | 64.2% | 63 | 18.3% | 48 | 14.0% | 344 |
| MADISON | 8 | 5.4% | 103 | 70.1% | 20 | 13.6% | 16 | 10.9% | 147 |
| MARTIN | 21 | 4.8% | 265 | 60.1% | 63 | 14.3% | 92 | 20.9% | 441 |
| MCDOWELL | 25 | 5.6% | 304 | 68.5% | 61 | 13.7% | 54 | 12.2% | 444 |
| MECKLENBURG | 160 | 3.5% | 2,861 | 62.5% | 783 | 17.1% | 773 | 16.9% | 4,577 |
| MITCHELL | 6 | 4.2% | 84 | 59.2% | 27 | 19.0% | 25 | 17.6% | 142 |
| MONTGOMERY | 10 | 1.6% | 341 | 55.8% | 112 | 18.3% | 148 | 24.2% | 611 |
| MOORE | 18 | 3.0% | 369 | 61.5% | 101 | 16.8% | 112 | 18.7% | 600 |
| NASH | 46 | 3.8% | 743 | 61.3% | 204 | 16.8% | 219 | 18.1% | 1,212 |
| NEW HANOVER | 30 | 3.2% | 586 | 63.3% | 168 | 18.1% | 142 | 15.3% | 926 |
| NORTHAMPTON | 23 | 5.4% | 259 | 60.7% | 64 | 15.0% | 81 | 19.0% | 427 |
| ONSLOW | 56 | 2.7% | 1,465 | 69.3% | 332 | 15.7% | 260 | 12.3% | 2,113 |
| ORANGE | 56 | 7.0% | 533 | 67.0% | 110 | 13.8% | 97 | 12.2% | 796 |
| PAMLICO | 6 | 3.7% | 82 | 50.3% | 40 | 24.5% | 35 | 21.5% | 163 |
| PASQUOTANK | 14 | 3.6% | 251 | 65.2% | 58 | 15.1% | 62 | 16.1% | 385 |
| PENDER | 19 | 1.7% | 554 | 50.6% | 210 | 19.2% | 311 | 28.4% | 1,094 |
| PERQUIMANS | 0 | 0.0% | 74 | 64.9% | 14 | 12.3% | 26 | 22.8% | 114 |
| PERSON | 11 | 3.4% | 187 | 57.9% | 65 | 20.1% | 60 | 18.6% | 323 |
| PITT | 24 | 2.5% | 607 | 63.7% | 150 | 15.7% | 172 | 18.0% | 953 |
| POLK | 3 | 2.5% | 78 | 65.5% | 20 | 16.8% | 18 | 15.1% | 119 |

* North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers. Page 3 of 4

Prevalence of Obesity, Overweight, Healthy Weight and Underweight in Children 2 through 18 years of age, By County, NC-NPASS*, 2009

| | UNDERWEIGHT | | HEALTHY WEIGHT | | OVERWEIGHT | | OBESE | | TOTAL |
|-------------------------------------|-----------------|-------|------------------------------|-------|-------------------------------|-------|-------------------|-------|--------|
| HEALTH DEPARTMENT | <5th Percentile | | >=5th to <85th Percentile | | >=85th to <95th Percentile | | >=95th Percentile | | |
| | # | % | # | % | # | % | # | % | # |
| STATEWIDE | 2,981 | 3.5% | 53,134 | 62.3% | 13,782 | 16.2% | 15,341 | 18.0% | 85,238 |
| RANDOLPH | 32 | 3.2% | 662 | 66.1% | 144 | 14.4% | 163 | 16.3% | 1,001 |
| RICHMOND | 64 | 11.6% | 392 | 70.8% | 39 | 7.0% | 59 | 10.6% | 554 |
| ROBESON | 73 | 2.8% | 1,603 | 60.7% | 444 | 16.8% | 521 | 19.7% | 2,641 |
| ROCKINGHAM | 18 | 1.9% | 580 | 59.8% | 165 | 17.0% | 207 | 21.3% | 970 |
| ROWAN | 41 | 3.6% | 775 | 68.8% | 161 | 14.3% | 149 | 13.2% | 1,126 |
| RUTHERFORD | 24 | 3.5% | 458 | 66.3% | 112 | 16.2% | 97 | 14.0% | 691 |
| SAMPSON | 13 | 1.7% | 454 | 59.5% | 150 | 19.7% | 146 | 19.1% | 763 |
| SCOTLAND | 16 | 4.2% | 255 | 66.4% | 63 | 16.4% | 50 | 13.0% | 384 |
| STANLY | 9 | 2.1% | 272 | 62.2% | 78 | 17.8% | 78 | 17.8% | 437 |
| STOKES | 8 | 1.5% | 308 | 55.9% | 108 | 19.6% | 127 | 23.0% | 551 |
| SURRY | 35 | 1.8% | 993 | 51.8% | 373 | 19.5% | 515 | 26.9% | 1,916 |
| SWAIN | 1 | 1.0% | 72 | 69.9% | 17 | 16.5% | 13 | 12.6% | 103 |
| TRANSYLVANIA | 7 | 3.4% | 136 | 65.7% | 34 | 16.4% | 30 | 14.5% | 207 |
| TYRRELL | 8 | 3.7% | 121 | 56.5% | 26 | 12.1% | 59 | 27.6% | 214 |
| UNION | 40 | 2.5% | 1,005 | 63.3% | 267 | 16.8% | 276 | 17.4% | 1,588 |
| VANCE | 61 | 9.9% | 390 | 63.5% | 83 | 13.5% | 80 | 13.0% | 614 |
| WAKE | 132 | 2.3% | 3,451 | 61.1% | 977 | 17.3% | 1,087 | 19.2% | 5,647 |
| WARREN | 23 | 7.0% | 214 | 64.8% | 48 | 14.5% | 45 | 13.6% | 330 |
| WASHINGTON | 26 | 7.1% | 227 | 62.2% | 48 | 13.2% | 64 | 17.5% | 365 |
| WATAUGA | 5 | 2.3% | 156 | 70.3% | 33 | 14.9% | 28 | 12.6% | 222 |
| WAYNE | 31 | 3.2% | 659 | 68.3% | 147 | 15.2% | 128 | 13.3% | 965 |
| WILKES | 26 | 3.8% | 402 | 59.5% | 127 | 18.8% | 121 | 17.9% | 676 |
| WILSON | 41 | 3.5% | 687 | 58.3% | 220 | 18.7% | 231 | 19.6% | 1,179 |
| YADKIN | 4 | 1.4% | 184 | 64.6% | 38 | 13.3% | 59 | 20.7% | 285 |
| YANCEY | 8 | 2.6% | 165 | 52.7% | 60 | 19.2% | 80 | 25.6% | 313 |
| Eastern Band of Cherokee Indians | 0 | 0.0% | 70 | 46.7% | 45 | 30.0% | 35 | 23.3% | 150 |

* North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers. Page 4 of 4