

Table 7B
2006 Pediatric Nutrition Surveillance (1)
North Carolina

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)		Exclusive Breastfeeding (6)		≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number (Rank)	% Ever Breastfed (Rank)	Number (Rank)	% Breastfed At Least 6 Months (Rank)	Number (Rank)	% Breastfed At Least 12 Months (Rank)	Number (Rank)	% (Rank)
Wake	4,021	83.8 (4)	1,561	30.4 (4)	2,205	25.8 (4)	0	* * *
Warren	171	38.0 (71)	59	* *	114	7.9 (54)	0	* * *
Washington	122	42.6 (67)	55	* *	86	* *	0	* * *
Watauga	128	64.8 (21)	37	* *	55	* *	0	* * *
Wayne Coun	955	58.2 (27)	327	14.4 (36)	553	7.2 (56)	0	* * *
Wilkes	456	52.0 (51)	168	16.1 (28)	225	13.8 (30)	0	* * *
Wilson Cou	674	44.8 (63)	288	13.2 (41)	396	13.6 (33)	0	* * *
Yadkin	217	81.6 (6)	94	* *	182	14.3 (27)	0	* * *
Yancey	109	69.7 (12)	14	* *	23	* *	0	* * *
Unknown Counties	1	* *	0	* *	0	* *	0	* * *
North Carolina	58,967	57.1	20,152	19.6	29,092	14.9	0	*
Nation (Prior Year)	1,515,954	58.5	751,259	24.3	869,342	17.7	101,887	13.6
							136,891	6.8
							343,170	64.7
							1,120,034	16.9

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2004 - 2006 Pediatric Nutrition Surveillance (1)
North Carolina
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by County (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Alamance	2,467	9.0 (27)	8.4 (92)	8,069	6.0 (60)	7.3 (47)	18.1 (88)	3,279	19.1 (96)	17.2 (73)	6,130	30.4 (101)
Alexander	780	9.4 (40)	8.5 (93)	2,248	17.4 (101)	10.1 (78)	18.5 (90)	1,152	15.5 (38)	21.3 (98)	1,963	16.8 (77)
Alleghany	228	11.4 (82)	3.5 (2)	875	6.5 (73)	5.9 (20)	17.3 (80)	454	22.7 (100)	21.6 (99)	687	17.8 (80)
Anson	714	11.2 (81)	3.9 (4)	2,125	7.3 (86)	7.2 (41)	20.1 (98)	1,225	12.2 (10)	15.3 (44)	1,921	15.1 (75)
Ashe	537	9.5 (42)	4.8 (11)	1,873	5.9 (57)	6.7 (33)	15.9 (60)	1,086	12.5 (12)	14.0 (30)	1,679	13.2 (65)
Avery	308	9.7 (54)	7.1 (62)	391	11.8 (100)	6.1 (24)	17.4 (82)	203	15.3 (36)	18.2 (86)	240	4.6 (8)
Beaufort	1,197	10.0 (59)	6.3 (39)	3,815	5.3 (43)	6.1 (24)	16.9 (74)	1,944	15.9 (46)	18.1 (84)	3,452	10.3 (47)
Bertie	515	16.9 (101)	4.5 (7)	1,916	10.7 (98)	9.2 (73)	16.6 (72)	1,085	12.4 (11)	16.4 (62)	1,720	26.3 (96)
Bladen	987	10.3 (65)	5.7 (26)	3,382	4.2 (17)	11.3 (85)	14.5 (40)	1,498	15.0 (31)	14.5 (34)	2,180	4.9 (11)
Brunswick	1,828	9.5 (42)	8.1 (83)	5,547	6.7 (76)	7.1 (39)	15.0 (49)	2,557	17.2 (67)	16.0 (56)	4,145	3.6 (5)
Buncombe	4,076	10.2 (64)	8.2 (88)	10,878	5.8 (55)	5.0 (7)	15.9 (60)	5,525	17.0 (63)	15.6 (50)	9,763	11.6 (56)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2004 - 2006 Pediatric Nutrition Surveillance ⁽¹⁾
North Carolina
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators by County ^(3,4)												
County	Birthweight ⁽⁵⁾			Height and Weight							Anemia Low Hb/Hct ⁽⁸⁾	
	Low	High		Short Stature ⁽⁶⁾	Under- weight ⁽⁷⁾	Over- weight ⁽⁷⁾		≥ 2 Yrs Over- weight ⁽⁷⁾			Anemia Low Hb/Hct ⁽⁸⁾	
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Burke	1,817	8.9 (26)	5.8 (27)	5,257	5.1 (36)	9.5 (76)	13.4 (24)	2,423	15.4 (37)	13.8 (26)	4,288	8.2 (35)
Cabarrus	1,521	9.0 (27)	6.3 (39)	5,509	4.2 (17)	11.5 (86)	13.2 (20)	2,518	15.8 (43)	16.8 (67)	3,213	6.9 (24)
Caldwell	1,950	9.7 (54)	6.9 (56)	5,220	7.0 (81)	7.9 (56)	17.6 (83)	2,546	19.0 (95)	17.7 (80)	4,524	7.0 (26)
Camden	149	12.1 (89)	4.0 (5)	621	6.0 (60)	12.1 (88)	14.5 (40)	286	8.0 (3)	7.7 (3)	420	7.4 (29)
Carteret	1,025	9.0 (27)	9.1 (99)	2,798	4.1 (15)	11.8 (87)	13.3 (22)	1,133	16.2 (50)	16.5 (63)	2,314	8.6 (38)
Caswell	410	13.7 (99)	4.6 (9)	1,490	5.7 (51)	6.0 (22)	14.2 (34)	784	18.0 (81)	13.8 (26)	1,201	6.7 (22)
Catawba	2,810	9.5 (42)	7.8 (74)	4,272	5.1 (36)	18.8 (99)	8.9 (2)	1,496	17.8 (78)	16.0 (56)	5,950	7.0 (26)
Chatham	1,388	8.0 (8)	7.5 (69)	4,099	6.2 (66)	6.0 (22)	18.8 (95)	1,884	17.3 (70)	19.1 (91)	3,295	12.7 (63)
Cherokee	638	11.1 (78)	6.9 (56)	1,300	4.8 (30)	10.6 (82)	13.5 (25)	479	14.8 (28)	13.8 (26)	1,541	10.8 (50)
Chowan	384	13.5 (98)	5.5 (22)	1,475	4.7 (25)	10.1 (78)	14.2 (34)	681	16.7 (56)	16.2 (59)	1,105	17.3 (79)
Clay	178	3.4 (1)	6.7 (52)	676	7.0 (81)	5.3 (9)	14.1 (31)	392	16.3 (53)	17.6 (79)	621	5.6 (17)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2004 - 2006 Pediatric Nutrition Surveillance (1)
North Carolina
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by County (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Cleveland	1,958	9.6 (47)	7.0 (58)	2,198	2.9 (1)	13.1 (94)	14.8 (46)	171	19.3 (98)	7.6 (2)	384	6.8 (23)
Columbus	886	13.2 (96)	7.0 (58)	4,374	7.9 (91)	4.6 (4)	20.0 (97)	2,134	16.7 (56)	15.3 (44)	2,880	15.0 (73)
Craven	2,795	9.0 (27)	8.7 (96)	7,149	3.9 (11)	6.9 (36)	14.4 (38)	3,474	16.8 (60)	15.5 (48)	6,235	11.9 (58)
Cumberland	10,627	9.6 (47)	8.1 (83)	33,955	4.3 (22)	12.2 (90)	10.9 (6)	14,680	12.0 (9)	8.9 (6)	26,714	19.9 (90)
Currituck	360	6.9 (3)	8.1 (83)	1,266	7.0 (81)	7.0 (38)	14.7 (44)	531	17.3 (70)	12.8 (16)	891	10.3 (47)
Dare	396	7.8 (7)	7.8 (74)	1,380	5.5 (45)	4.2 (1)	18.0 (86)	698	19.5 (99)	17.5 (78)	1,218	10.7 (49)
Davidson	2,908	11.0 (76)	6.2 (35)	8,511	5.0 (33)	8.2 (60)	12.8 (17)	3,769	13.9 (19)	12.1 (13)	7,362	8.1 (34)
Davie	566	8.0 (8)	7.6 (71)	1,878	6.0 (60)	5.3 (9)	15.0 (49)	1,022	17.2 (67)	14.4 (33)	1,877	7.5 (30)
Duplin	1,974	9.7 (54)	5.3 (19)	3,567	5.8 (55)	15.0 (97)	15.0 (49)	1,269	14.8 (28)	19.9 (96)	1,254	26.4 (97)
Durham	4,316	9.6 (47)	6.5 (48)	10,916	6.3 (68)	6.8 (35)	17.1 (75)	5,422	14.0 (20)	15.5 (48)	1,004	12.7 (63)
Edgecombe	1,634	12.4 (92)	4.2 (6)	821	5.4 (44)	27.5(101)	8.6 (1)	89	* *	* *	277	14.8 (72)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2004 - 2006 Pediatric Nutrition Surveillance (1)
North Carolina
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by County (3,4)												
County	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Forsyth	6,622	11.1 (78)	6.2 (35)	19,757	5.6 (47)	9.7 (77)	14.6 (42)	9,396	15.7 (41)	15.4 (47)	16,045	13.7 (69)
Franklin	1,065	8.6 (23)	8.0 (81)	3,539	3.9 (11)	7.2 (41)	15.8 (59)	1,975	17.4 (73)	15.9 (52)	2,224	5.0 (12)
Gaston	4,249	9.5 (42)	6.4 (44)	6,975	6.4 (70)	8.8 (68)	10.9 (6)	1,825	16.2 (50)	13.9 (29)	8,006	3.2 (2)
Gates	138	11.6 (83)	5.1 (14)	487	3.7 (10)	8.2 (60)	15.6 (58)	260	13.8 (18)	16.9 (68)	431	13.2 (65)
Graham	204	7.4 (5)	8.8 (97)	734	4.8 (30)	5.6 (13)	16.2 (65)	451	18.2 (84)	17.1 (70)	598	4.7 (9)
Granville	1,071	10.8 (72)	5.1 (14)	3,261	3.1 (3)	10.1 (78)	15.0 (49)	1,642	17.7 (75)	17.2 (73)	2,553	19.0 (87)
Greene	599	12.4 (92)	5.8 (27)	2,548	6.6 (75)	4.9 (5)	18.7 (93)	1,361	15.1 (32)	16.6 (65)	2,126	20.8 (92)
Guilford	6,170	10.6 (69)	6.0 (31)	14,360	4.7 (25)	8.6 (65)	12.3 (12)	9,703	14.7 (27)	13.5 (24)	9,627	4.7 (9)
Halifax	1,756	13.1 (95)	5.1 (14)	5,076	4.2 (17)	7.2 (41)	18.6 (91)	2,390	15.6 (40)	15.6 (50)	4,648	20.7 (91)
Harnett	2,317	9.2 (35)	7.2 (65)	7,599	6.8 (78)	5.6 (13)	16.0 (62)	3,799	16.1 (48)	12.8 (16)	6,252	12.3 (62)
Haywood	920	12.1 (89)	7.9 (79)	1,637	8.6 (93)	9.2 (73)	13.9 (29)	791	18.8 (90)	15.9 (52)	2,359	5.6 (17)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2004 - 2006 Pediatric Nutrition Surveillance (1)
North Carolina
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by County (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Henderson	1,394	8.0 (8)	7.8 (74)	3,162	6.1 (64)	8.6 (65)	14.0 (30)	1,365	16.8 (60)	15.9 (52)	3,198	18.4 (84)
Hertford	774	12.0 (87)	3.6 (3)	2,483	4.1 (15)	9.4 (75)	12.5 (15)	1,061	15.8 (43)	14.8 (37)	1,719	10.9 (52)
Hoke	1,463	10.5 (66)	6.6 (50)	5,094	9.8 (97)	7.3 (47)	21.6(101)	2,284	16.1 (48)	19.2 (92)	3,200	25.6 (95)
Hyde	123	9.8 (57)	4.9 (13)	368	3.0 (2)	6.3 (28)	17.1 (75)	242	10.3 (5)	17.4 (77)	387	26.6 (98)
Iredell	2,676	9.6 (47)	6.0 (31)	9,581	5.0 (33)	7.3 (47)	14.3 (36)	4,169	14.1 (21)	12.8 (16)	7,101	3.2 (2)
Jackson	493	6.3 (2)	8.1 (83)	2,010	6.5 (73)	5.8 (19)	18.0 (86)	965	18.9 (94)	18.1 (84)	1,521	5.7 (19)
Johnston	2,319	9.1 (33)	6.4 (44)	5,623	5.9 (57)	7.2 (41)	15.1 (53)	2,486	16.5 (54)	17.1 (70)	5,234	10.1 (44)
Jones	247	6.9 (3)	9.3(101)	405	4.2 (17)	8.1 (58)	15.3 (56)	220	17.7 (75)	15.9 (52)	237	11.8 (57)
Lee	1,498	10.0 (59)	5.3 (19)	4,917	3.6 (8)	7.8 (54)	14.6 (42)	2,137	15.1 (32)	14.3 (32)	3,589	28.6 (99)
Lenoir	1,787	12.0 (87)	6.0 (31)	4,897	3.3 (5)	12.2 (90)	12.3 (12)	2,078	11.3 (7)	10.7 (10)	3,738	10.0 (43)
Lincoln	1,408	8.1 (13)	6.8 (55)	1,691	4.0 (14)	14.2 (96)	10.6 (5)	833	5.8 (1)	7.3 (1)	3,450	4.0 (6)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2004 - 2006 Pediatric Nutrition Surveillance (1)
North Carolina
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by County (3,4)												
County	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Macon	628	8.6 (23)	8.8 (97)	1,769	7.5 (88)	4.3 (3)	17.1 (75)	1,036	17.8 (78)	17.0 (69)	1,677	5.0 (12)
Madison	330	12.1 (89)	9.1 (99)	1,244	9.6 (96)	6.2 (27)	20.3(100)	704	16.6 (55)	20.6 (97)	1,048	14.7 (71)
Martin	661	11.6 (83)	4.8 (11)	2,196	5.7 (51)	7.8 (54)	16.4 (69)	1,021	14.9 (30)	14.2 (31)	1,601	16.1 (76)
Mcdowell	983	9.4 (40)	5.6 (23)	3,053	5.1 (36)	5.9 (20)	13.5 (25)	1,674	15.2 (35)	13.1 (21)	2,728	17.0 (78)
Mecklenbur	11,916	9.3 (37)	6.7 (52)	30,538	6.4 (70)	6.6 (32)	16.4 (69)	14,068	17.2 (67)	17.3 (75)	16,476	13.6 (68)
Mitchell	314	8.3 (17)	4.5 (7)	1,118	11.3 (99)	5.6 (13)	14.3 (36)	647	11.7 (8)	13.0 (20)	1,060	1.7 (1)
Montgomery	738	8.4 (18)	8.3 (91)	2,691	6.7 (76)	8.2 (60)	18.4 (89)	1,257	18.2 (84)	18.0 (82)	1,967	5.2 (14)
Moore	1,351	9.0 (27)	7.3 (66)	4,684	5.6 (47)	7.7 (52)	17.1 (75)	2,251	17.1 (66)	14.8 (37)	4,243	9.1 (39)
Nash	2,336	9.1 (33)	7.0 (58)	6,088	5.2 (40)	10.8 (84)	13.3 (22)	2,431	14.2 (22)	13.7 (25)	4,010	8.3 (36)
New Hanove	3,194	11.1 (78)	7.4 (67)	6,024	6.8 (78)	5.6 (13)	15.2 (55)	2,745	15.5 (38)	14.9 (40)	3,654	7.6 (32)
Northhampt	573	13.4 (97)	4.7 (10)	2,148	4.5 (23)	7.2 (41)	16.2 (65)	1,100	18.5 (88)	17.9 (81)	1,628	21.2 (93)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2004 - 2006 Pediatric Nutrition Surveillance (1)
North Carolina
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by County (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Onslow	6,484	8.8 (25)	7.6 (71)	17,693	4.2 (17)	9.0 (71)	10.2 (4)	7,315	15.1 (32)	9.4 (7)	13,556	5.4 (15)
Orange	1,438	8.1 (13)	8.5 (93)	6,259	6.4 (70)	6.9 (36)	17.3 (80)	2,913	18.4 (87)	19.8 (94)	4,865	13.9 (70)
Pamlico	275	10.5 (66)	6.2 (35)	921	7.3 (86)	8.9 (69)	15.4 (57)	451	18.8 (90)	18.0 (82)	492	8.3 (36)
Pasquotank	820	10.9 (73)	3.3 (1)	2,771	4.5 (23)	7.4 (50)	13.7 (28)	1,325	12.8 (13)	12.5 (14)	1,510	9.2 (40)
Pender	1,009	9.5 (42)	7.9 (79)	3,638	6.3 (68)	7.1 (39)	17.6 (83)	1,668	13.5 (16)	16.3 (61)	2,839	7.2 (28)
Perquimans	248	8.5 (21)	5.2 (18)	973	8.3 (92)	6.5 (30)	20.2 (99)	419	16.7 (56)	18.4 (87)	679	11.5 (55)
Person	801	11.6 (83)	8.2 (88)	2,641	3.5 (7)	7.7 (52)	14.8 (46)	1,278	16.0 (47)	14.7 (36)	2,091	5.4 (15)
Pitt	3,087	10.6 (69)	5.8 (27)	11,060	5.2 (40)	5.3 (9)	16.5 (71)	5,267	16.8 (60)	15.3 (44)	8,996	18.4 (84)
Polk	219	11.0 (76)	8.2 (88)	795	4.7 (25)	5.5 (12)	16.0 (62)	420	14.5 (24)	16.7 (66)	737	19.5 (88)
Randolph	2,950	9.3 (37)	8.6 (95)	9,371	5.7 (51)	7.4 (50)	17.2 (79)	4,218	18.8 (90)	22.4(100)	7,938	4.4 (7)
Richmond	1,431	8.2 (16)	6.4 (44)	5,040	3.4 (6)	15.2 (98)	10.9 (6)	2,766	7.7 (2)	7.8 (4)	4,683	23.1 (94)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2004 - 2006 Pediatric Nutrition Surveillance ⁽¹⁾
North Carolina
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators by County ^(3,4)												
County	Birthweight ⁽⁵⁾			Height and Weight						Anemia Low Hb/Hct ⁽⁸⁾		
	Low	High		Short Stature ⁽⁶⁾	Under- weight ⁽⁷⁾	Over- weight ⁽⁷⁾		≥ 2 Yrs Over- weight ⁽⁷⁾				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Robeson	3,300	10.1 (62)	7.1 (62)	8,098	6.1 (64)	8.3 (63)	16.0 (62)	5,492	14.5 (24)	14.9 (40)	6,448	5.7 (19)
Rockingham	1,676	10.0 (59)	6.3 (39)	6,167	3.2 (4)	12.7 (93)	11.3 (10)	2,721	11.0 (6)	10.4 (8)	4,745	7.8 (33)
Rowan	2,759	10.9 (73)	6.0 (31)	7,916	3.6 (8)	6.5 (30)	16.2 (65)	3,785	18.0 (81)	17.3 (75)	6,467	13.5 (67)
Rutherford	953	8.4 (18)	7.5 (69)	2,745	5.6 (47)	5.2 (8)	16.8 (73)	1,455	15.8 (43)	14.8 (37)	2,304	17.8 (80)
Sampson	2,033	8.0 (8)	8.1 (83)	6,689	7.6 (89)	9.1 (72)	19.2 (96)	3,294	16.7 (56)	19.8 (94)	5,727	18.0 (82)
Scotland	1,096	10.9 (73)	6.2 (35)	3,525	3.9 (11)	8.1 (58)	14.8 (46)	2,043	13.3 (15)	12.9 (19)	3,413	18.8 (86)
Stanly	1,166	10.5 (66)	5.9 (30)	2,970	4.8 (30)	8.4 (64)	13.2 (20)	1,717	13.0 (14)	11.8 (12)	2,735	29.7 (100)
Stokes	720	11.7 (86)	6.3 (39)	2,632	5.7 (51)	12.1 (88)	11.2 (9)	1,234	17.0 (63)	15.0 (42)	1,882	6.9 (24)
Surry	1,506	9.6 (47)	7.1 (62)	2,003	7.0 (81)	20.4 (100)	10.0 (3)	536	14.6 (26)	13.2 (22)	4,020	3.2 (2)
Swain	249	9.6 (47)	8.0 (81)	839	6.2 (66)	4.2 (1)	11.7 (11)	490	14.3 (23)	10.8 (11)	769	9.9 (42)
Transylvan	538	7.6 (6)	6.5 (48)	1,328	4.7 (25)	13.6 (95)	12.3 (12)	625	18.7 (89)	14.6 (35)	947	10.9 (52)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2004 - 2006 Pediatric Nutrition Surveillance (1)
North Carolina
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by County (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Tyrrell	154	8.4 (18)	7.8 (74)	659	9.4 (95)	4.9 (5)	18.7 (93)	369	17.3 (70)	18.7 (90)	495	18.2 (83)
Union	2,564	8.0 (8)	7.4 (67)	7,192	7.0 (81)	5.7 (17)	14.7 (44)	3,556	17.4 (73)	15.2 (43)	5,934	11.2 (54)
Vance	1,497	12.4 (92)	5.6 (23)	4,368	6.0 (60)	8.9 (69)	14.4 (38)	2,170	16.2 (50)	13.3 (23)	3,157	15.0 (73)
Wake	11,160	8.5 (21)	7.8 (74)	40,349	5.9 (57)	7.2 (41)	14.1 (31)	16,915	17.0 (63)	16.0 (56)	25,820	7.5 (30)
Warren	490	16.3 (100)	5.3 (19)	2,270	5.1 (36)	7.9 (56)	13.0 (19)	1,154	13.5 (16)	10.5 (9)	1,835	10.2 (45)
Washington	395	9.6 (47)	5.6 (23)	1,518	6.8 (78)	10.2 (81)	12.5 (15)	895	8.9 (4)	8.8 (5)	1,345	19.5 (88)
Watauga	541	8.1 (13)	6.3 (39)	1,705	5.2 (40)	8.7 (67)	12.8 (17)	880	15.7 (41)	12.6 (15)	1,207	12.1 (60)
Wayne Coun	3,094	9.2 (35)	7.7 (73)	9,560	5.0 (33)	12.3 (92)	13.5 (25)	4,295	19.2 (97)	17.1 (70)	7,270	11.9 (58)
Wilkes	1,501	10.1 (62)	6.4 (44)	3,831	5.6 (47)	6.4 (29)	16.2 (65)	2,199	18.1 (83)	18.6 (88)	3,342	6.4 (21)
Wilson Cou	2,127	9.3 (37)	5.1 (14)	7,801	5.5 (45)	6.7 (33)	18.6 (91)	3,507	17.7 (75)	19.3 (93)	6,158	10.2 (45)
Yadkin	757	9.8 (57)	6.7 (52)	2,356	7.7 (90)	6.1 (24)	17.7 (85)	1,193	18.3 (86)	18.6 (88)	2,053	12.2 (61)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B
2004 - 2006 Pediatric Nutrition Surveillance (1)
North Carolina
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by County (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number
Yancey	357	9.0 (27)	7.0 (58)	1,298	8.9 (94)	5.7 (17)	15.1 (53)	745	18.8 (90)	16.2 (59)	1,084	9.2 (40)
Unknown Counties	1,233	10.6 (69)	6.6 (50)	4,467	4.7 (25)	10.7 (83)	14.1 (31)	2,064	17.9 (80)	16.5 (63)	2,706	10.8 (50)
North Carolina	177,272	9.8	6.9	511,056	5.6	8.4	14.7	239,630	15.8	15.0	391,032	11.9

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7B
2004 - 2006 Pediatric Nutrition Surveillance (1)
North Carolina

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Alamance	3,108	50.8 (60)	1,863	21.5 (27)	1,723	17.1 (26)	0	* *	0	* *	0	* *
Alexander	976	42.7 (75)	519	20.6 (31)	524	16.4 (29)	0	* *	0	* *	0	* *
Alleghany	278	59.0 (30)	169	5.3 (91)	152	1.3 (96)	0	* *	0	* *	0	* *
Anson	809	33.0 (90)	456	6.1 (89)	493	4.9 (88)	0	* *	0	* *	0	* *
Ashe	615	52.7 (55)	363	14.9 (61)	343	11.4 (54)	0	* *	0	* *	0	* *
Avery	337	57.9 (35)	56	* *	53	* *	0	* *	0	* *	0	* *
Beaufort	1,426	47.3 (68)	898	14.4 (65)	879	9.8 (65)	0	* *	0	* *	0	* *
Bertie	568	24.6 (94)	346	2.6 (95)	354	1.4 (95)	0	* *	0	* *	0	* *
Bladen	1,102	53.8 (50)	578	23.2 (22)	581	20.8 (14)	0	* *	0	* *	0	* *
Brunswick	2,151	47.3 (68)	1,090	20.9 (30)	1,147	15.6 (34)	0	* *	0	* *	0	* *
Buncombe	4,713	78.2 (9)	2,656	25.0 (18)	2,649	17.0 (27)	0	* *	0	* *	0	* *
Burke	2,165	59.0 (30)	1,146	12.7 (71)	1,147	9.9 (64)	0	* *	0	* *	0	* *
Cabarrus	2,465	65.0 (18)	1,300	29.0 (13)	1,336	19.9 (20)	0	* *	0	* *	0	* *

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) Children ages 2 years and older included in the analyses.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2004 - 2006 Pediatric Nutrition Surveillance (1)
North Carolina

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)
Caldwell	2,289	56.5 (38)	1,208	15.4 (55)	1,158	9.8 (65)	0	* *	0	* *	0	* *
Camden	187	12.3(101)	122	0.8 (97)	138	0.0 (97)	0	* *	0	* *	0	* *
Carteret	1,307	56.8 (37)	712	14.6 (63)	594	8.6 (74)	0	* *	0	* *	0	* *
Caswell	501	50.9 (59)	334	8.1 (85)	359	4.2 (90)	0	* *	0	* *	0	* *
Catawba	3,201	56.2 (40)	1,882	17.2 (43)	1,608	13.3 (45)	0	* *	0	* *	0	* *
Chatham	1,743	78.7 (7)	1,035	34.9 (4)	959	25.3 (9)	0	* *	0	* *	0	* *
Cherokee	777	52.5 (58)	416	16.1 (49)	394	11.9 (53)	0	* *	0	* *	0	* *
Chowan	470	23.2 (96)	269	9.7 (83)	274	5.5 (84)	0	* *	0	* *	0	* *
Clay	227	55.5 (44)	138	16.7 (45)	128	16.4 (29)	0	* *	0	* *	0	* *
Cleveland	1,939	19.5 (99)	210	12.9 (70)	218	8.7 (73)	0	* *	0	* *	0	* *
Columbus	1,597	45.2 (71)	940	12.4 (73)	858	9.4 (68)	0	* *	0	* *	0	* *
Craven	3,262	53.4 (52)	1,857	17.8 (38)	1,751	14.6 (37)	0	* *	0	* *	0	* *
Cumberland	13,648	58.5 (32)	7,550	13.0 (69)	7,146	10.7 (58)	0	* *	0	* *	0	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2004 - 2006 Pediatric Nutrition Surveillance (1)
North Carolina

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)
Currituck	444	66.4 (16)	267	0.7 (98)	270	0.0 (97)	0	* *	0	* *	0	* *
Dare	581	96.2 (1)	366	31.1 (9)	323	21.1 (13)	0	* *	0	* *	0	* *
Davidson	3,608	53.5 (51)	2,090	16.1 (49)	1,898	13.8 (41)	0	* *	0	* *	0	* *
Davie	682	59.8 (28)	442	21.5 (27)	449	19.4 (21)	0	* *	0	* *	0	* *
Duplin	2,090	52.8 (53)	464	13.1 (68)	471	10.6 (59)	0	* *	0	* *	0	* *
Durham	5,296	59.6 (29)	3,560	26.0 (15)	3,292	21.6 (12)	0	* *	0	* *	0	* *
Edgecombe	1,646	25.3 (93)	136	11.0 (80)	125	8.8 (71)	0	* *	0	* *	0	* *
Forsyth	8,369	71.3 (14)	4,791	33.1 (5)	4,449	26.7 (6)	0	* *	0	* *	0	* *
Franklin	1,102	41.0 (82)	220	15.9 (51)	215	13.5 (43)	0	* *	0	* *	0	* *
Gaston	5,071	43.7 (73)	2,408	16.3 (48)	2,369	10.8 (57)	0	* *	0	* *	0	* *
Gates	206	31.6 (92)	114	1.8 (96)	115	1.7 (94)	0	* *	0	* *	0	* *
Graham	234	21.4 (98)	151	15.9 (51)	165	20.0 (19)	0	* *	0	* *	0	* *
Granville	1,221	33.1 (89)	598	10.2 (82)	680	9.0 (70)	0	* *	0	* *	0	* *

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) Children ages 2 years and older included in the analyses.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2004 - 2006 Pediatric Nutrition Surveillance (1)
North Carolina

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
 (4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Greene	739	56.2 (40)	495	16.4 (47)	487	11.1 (55)	0	* *	0	* *	0	* *
Guilford	6,615	61.2 (24)	1,430	22.0 (25)	1,301	13.8 (41)	0	* *	0	* *	0	* *
Halifax	1,941	32.8 (91)	1,150	4.9 (92)	1,337	3.1 (93)	0	* *	0	* *	0	* *
Harnett	2,815	43.9 (72)	1,615	15.3 (57)	1,529	8.0 (79)	0	* *	0	* *	0	* *
Haywood	1,059	50.2 (63)	627	15.2 (58)	613	10.0 (63)	0	* *	0	* *	0	* *
Henderson	1,769	78.4 (8)	975	32.3 (6)	960	23.4 (10)	0	* *	0	* *	0	* *
Hertford	843	37.1 (86)	478	7.1 (87)	544	5.0 (87)	0	* *	0	* *	0	* *
Hoke	1,600	54.1 (48)	801	18.6 (37)	914	10.9 (56)	0	* *	0	* *	0	* *
Hyde	151	62.3 (21)	82	* *	89	* *	0	* *	0	* *	0	* *
Iredell	3,019	56.1 (42)	1,810	16.5 (46)	1,907	12.4 (50)	0	* *	0	* *	0	* *
Jackson	588	59.9 (27)	370	21.9 (26)	330	18.2 (23)	0	* *	0	* *	0	* *
Johnston	3,006	42.1 (79)	1,568	14.4 (65)	1,596	13.3 (45)	0	* *	0	* *	0	* *
Jones	247	52.6 (56)	36	* *	43	* *	0	* *	0	* *	0	* *

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
 Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) Children ages 2 years and older included in the analyses.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2004 - 2006 Pediatric Nutrition Surveillance (1)
North Carolina

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Lee	1,855	56.1 (42)	1,030	19.0 (36)	997	13.0 (48)	0	* *	0	* *	0	* *
Lenoir	2,218	35.0 (87)	1,113	11.8 (76)	978	5.1 (86)	0	* *	0	* *	0	* *
Lincoln	1,804	54.7 (46)	999	13.2 (67)	879	8.8 (71)	0	* *	0	* *	0	* *
Macon	804	75.0 (11)	462	27.3 (14)	462	15.4 (35)	0	* *	0	* *	0	* *
Madison	391	95.4 (2)	191	17.8 (38)	210	15.7 (33)	0	* *	0	* *	0	* *
Martin	731	38.7 (84)	395	12.4 (73)	428	8.6 (74)	0	* *	0	* *	0	* *
Mcdowell	1,280	57.6 (36)	745	22.7 (23)	712	14.3 (39)	0	* *	0	* *	0	* *
Mecklenbur	15,124	54.0 (49)	8,961	20.3 (32)	8,829	17.3 (25)	0	* *	0	* *	0	* *
Mitchell	408	64.5 (20)	240	29.2 (12)	259	20.8 (14)	0	* *	0	* *	0	* *
Montgomery	812	60.2 (26)	422	17.5 (40)	379	12.4 (50)	0	* *	0	* *	0	* *
Moore	1,577	48.4 (66)	951	14.9 (61)	977	12.4 (50)	0	* *	0	* *	0	* *
Nash	2,668	41.5 (81)	1,262	12.1 (75)	1,423	9.4 (68)	0	* *	0	* *	0	* *
New Hanove	3,869	50.8 (60)	1,918	22.4 (24)	1,897	15.2 (36)	0	* *	0	* *	0	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2004 - 2006 Pediatric Nutrition Surveillance (1)
North Carolina

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Northhampt	659	16.8(100)	369	6.0 (90)	427	4.4 (89)	0	* *	0	* *	0	* *
Onslow	7,706	58.3 (34)	4,231	17.5 (40)	4,105	10.3 (60)	0	* *	0	* *	0	* *
Orange	2,023	66.2 (17)	1,417	32.0 (8)	1,345	20.4 (16)	0	* *	0	* *	0	* *
Pamlico	295	64.7 (19)	127	24.4 (19)	133	21.8 (11)	0	* *	0	* *	0	* *
Pasquotank	1,044	22.0 (97)	698	3.4 (94)	692	3.6 (91)	0	* *	0	* *	0	* *
Pender	1,233	48.1 (67)	719	9.2 (84)	679	5.4 (85)	0	* *	0	* *	0	* *
Perquimans	344	24.4 (95)	219	6.4 (88)	194	5.7 (83)	0	* *	0	* *	0	* *
Person	883	40.0 (83)	466	11.6 (78)	489	6.5 (82)	0	* *	0	* *	0	* *
Pitt	3,544	49.2 (64)	2,207	15.5 (54)	2,143	10.3 (60)	0	* *	0	* *	0	* *
Polk	265	61.5 (23)	176	25.6 (17)	145	18.6 (22)	0	* *	0	* *	0	* *
Randolph	3,616	69.8 (15)	2,154	21.4 (29)	1,938	13.5 (43)	0	* *	0	* *	0	* *
Richmond	1,719	42.1 (79)	1,161	10.6 (81)	1,086	7.9 (80)	0	* *	0	* *	0	* *
Robeson	3,406	38.3 (85)	576	15.6 (53)	556	13.3 (45)	0	* *	0	* *	0	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2004 - 2006 Pediatric Nutrition Surveillance (1)
North Carolina

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
 (4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)
Rockingham	1,964	46.8 (70)	1,228	17.1 (44)	1,229	14.3 (39)	0	* *	0	* *	0	* *
Rowan	3,320	55.0 (45)	1,887	15.4 (55)	1,931	9.5 (67)	0	* *	0	* *	0	* *
Rutherford	1,077	50.5 (62)	363	17.4 (42)	366	15.8 (32)	0	* *	0	* *	0	* *
Sampson	2,327	42.5 (76)	1,494	20.1 (34)	1,536	16.1 (31)	0	* *	0	* *	0	* *
Scotland	1,251	42.4 (77)	791	4.6 (93)	882	3.6 (91)	0	* *	0	* *	0	* *
Stanly	1,309	72.6 (13)	641	7.2 (86)	672	6.7 (81)	0	* *	0	* *	0	* *
Stokes	894	52.8 (53)	512	11.5 (79)	557	8.6 (74)	0	* *	0	* *	0	* *
Surry	1,687	58.4 (33)	1,072	24.2 (20)	1,056	20.1 (17)	0	* *	0	* *	0	* *
Swain	318	94.3 (3)	167	24.0 (21)	168	25.6 (8)	0	* *	0	* *	0	* *
Transylvan	610	93.6 (4)	193	35.8 (3)	183	29.0 (4)	0	* *	0	* *	0	* *
Tyrrell	180	54.4 (47)	113	30.1 (10)	125	27.2 (5)	0	* *	0	* *	0	* *
Union	3,078	74.3 (12)	1,276	19.9 (35)	1,460	16.5 (28)	0	* *	0	* *	0	* *
Vance	1,625	52.6 (56)	788	40.7 (1)	928	39.3 (1)	0	* *	0	* *	0	* *

(1) Reporting period is January 1 through December 31.
 (2) TV Viewing and Smoking in Household data are not reported by all contributors.
 (3) Analyses based on one record per child.
 (4) Excludes records with unknown data or errors.
 (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
 (6) the Breastfed At Least 6 Months analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
 (7) Children ages 2 years and older included in the analyses.
 * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2004 - 2006 Pediatric Nutrition Surveillance (1)
North Carolina

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
(4,5)

County	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Wake	12,775	80.6 (6)	7,137	32.3 (6)	6,879	30.8 (3)	0	* *	0	* *	0	* *
Warren	570	34.4 (88)	403	11.7 (77)	450	8.4 (77)	0	* *	0	* *	0	* *
Washington	455	42.4 (77)	287	12.5 (72)	329	10.3 (60)	0	* *	0	* *	0	* *
Watauga	603	62.2 (22)	286	37.4 (2)	321	32.4 (2)	0	* *	0	* *	0	* *
Wayne Coun	3,607	56.3 (39)	1,947	15.1 (59)	2,134	8.4 (77)	0	* *	0	* *	0	* *
Wilkes	1,688	49.2 (64)	888	14.6 (63)	868	12.6 (49)	0	* *	0	* *	0	* *
Wilson Cou	2,654	43.1 (74)	1,550	15.0 (60)	1,512	14.6 (37)	0	* *	0	* *	0	* *
Yadkin	858	75.9 (10)	534	20.2 (33)	592	17.6 (24)	0	* *	0	* *	0	* *
Yancey	405	86.9 (5)	217	30.0 (11)	246	26.0 (7)	0	* *	0	* *	0	* *
Unknown Counties	1,453	60.3 (25)	1,148	26.0 (15)	1,131	20.1 (17)	0	* *	0	* *	0	* *
North Carolina	211,789	56.0	113,288	19.4	111,354	15.0	0	*	0	*	0	*

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

